


XI - REFERENCIAS BIBLIOGRÁFICAS



Si he conseguido ver más lejos, es porque
me he aupado en los hombros de gigantes.

Isaac Newton

XI - REFERENCIAS BIBLIOGRÁFICAS

- Achard, P.; Vriezen, W.H.; Van Der Straeten, D. and Harberd, N.P.** (2003). Ethylene Regulates Arabidopsis Development Via the Modulation of DELLA Protein Growth Repressor Function. *Plant Cell* 15:2816-2825.
- Adamska, I.** (1995). Regulation of Early Light-Inducible Protein Gene Expression by Blue and Red Light in Etiolated Seedlings Involves Nuclear and Plastid Factors. *Plant Physiology* 107:1167-1175.
- Alborn, H.T.; Turlings, T.C.J.; Jones, T.H.; Stenhagen, G.; Loughrin, J.H. and Tumlinson, J.H.** (1997). An Elicitor of Plant Volatiles from Beet Armyworm Oral Secretion. *Science* 276:945-949.
- Alexander, L. and Grierson, D.** (2002). Ethylene Biosynthesis and Action in Tomato: A Model for Climacteric Fruit Ripening. *Journal of Experimental Botany* 53:2039-2055.
- Alonso, J.M. and Ecker, J.R.** (2001). The Ethylene Pathway: A Paradigm for Plant Hormone Signaling and Interaction. *Science STKE* 2001:RE1.
- Al-Shahrour, F.; Minguez, P.; Tarraga, J.; Montaner, D.; Alloza, E.; Vaquerizas, J.M.; Conde, L.; Blaschke, C.; Vera, J. and Dopazo, J.** (2006). Babelomics: A Systems Biology Perspective in the Functional Annotation of Genome-Scale Experiments. *Nucleic Acids Research* 34:472-476.
- Al-Shahrour, F.; Minguez, P.; Tarraga, J.; Medina, I.; Alloza, E.; Montaner, D. and Dopazo, J.** (2007). Fatigo +: A Functional Profiling Tool for Genomic Data. Integration of Functional Annotation, Regulatory Motifs and Interaction Data with Microarray Experiments. *Nucleic Acids Research* 35:91-96.
- Altschul, S.F.; Madden, T.L.; Schaffer, A.A.; Zhang, J.; Zhang, Z.; Miller, W. and Lipman, D.J.** (1997). Gapped Blast and Psi-Blast: A New Generation of Protein Database Search Programs. *Nucleic Acids Research* 25:3389-3402.
- Anderson, J.P.; Badruzsaufari, E.; Schenk, P.M.; Manners, J.M.; Desmond, O.J.; Ehlert, C.; Maclean, D.J.; Ebert, P.R. and Kazan, K.** (2004). Antagonistic Interaction between Abscisic Acid and Jasmonate-Ethylene Signaling Pathways Modulates Defense Gene Expression and Disease Resistance in Arabidopsis. *Plant Cell* 16:3460-3479.
- Angelini, R.; Tisi, A.; Rea, G.; Chen, M.M.; Botta, M.; Federico, R. and Cona, A.** (2008). Involvement of Polyamine Oxidase in Wound Healing. *Plant Physiology* 146:162-177.
- Aoyama, T.; Dong, C.H.; Wu, Y.; Carabelli, M.; Sessa, G.; Ruberti, I.; Morelli, G. and Chua, N.H.** (1995). Ectopic Expression of the Arabidopsis Transcriptional Activator Athb-1 Alters Leaf Cell Fate in Tobacco. *Plant Cell* 7:1773-1785.
- Ariel, F.D.; Manavella, P.A.; Dezar, C.A. and Chan, R.L.** (2007). The True Story of

- the Hd-Zip Family. *Trends in Plant Science* 12:419-426.
- Arimura, G.; Kost, C. and Boland, W.** (2005). Herbivore-Induced, Indirect Plant Defences. *Biochimica and Biophysica Acta* 1734:91-111.
- Arimura, G.-i.; Kopke, S.; Kunert, M.; Volpe, V.; David, A.; Brand, P.; Dabrowska, P.; Maffei, M.E. and Boland, W.** (2007). Effects of Feeding Spodoptera Littoralis on Lima Bean Leaves Iv: Diurnal and Nocturnal Damage Differentially Initiate Plant Volatile Emission. *Plant Physiology*. Online 107.111088.
- Ausubel, F.M.** (1988). Current Protocols in Molecular Biology (New York: Greene Pub. Associates ; Wiley-Interscience), pp. v. (loose-leaf).
- Avery, L. and Wasserman, S.** (1992). Ordering Gene Function: The Interpretation of Epistasis in Regulatory Hierarchies. *Trends in Genetics* 8:312-316.
- Baldwin, I.T.; Schmelz, E.A. and Zhang, Z.-P.** (1996). Effects of Octadecanoid Metabolites and Inhibitors on Induced Nicotine Accumulation in *Nicotiana glauca*. *Journal of Chemical Ecology* 22:61-74.
- Baldwin, I.T.** (1999). Inducible Nicotine Production in Native *Nicotiana* as an Example of Adaptive Phenotypic Plasticity. *Journal of Chemical Ecology* 25:3-30.
- Ballesteros, M.L.; Bolle, C.; Lois, L.M.; Moore, J.M.; Vielle-Calzada, J.P.; Grossniklaus, U. and Chua, N.H.** (2001). Lf1, a Myb Transcription Activator for Phytochrome a Signaling. *Genes and Development* 15:2613-2625.
- Bate, N.J.; Rothstein, S.J. and Thompson, J.E.** (1991). Expression of Nuclear and Chloroplast Photosynthesis-Specific Genes During Leaf Senescence. *Journal of Experimental Botany* 42:801-811.
- Baulcombe, D.** (2004). Rna Silencing in Plants. *Nature* 431:356-363.
- Beaudoin, N.; Serizet, C.; Gosti, F. and Giraudat, J.** (2000). Interactions between Abscisic Acid and Ethylene Signaling Cascades. *Plant Cell* 12:1103-1115.
- Bellaoui, M.; Pidkowich, M.S.; Samach, A.; Kushalappa, K.; Kohalmi, S.E.; Modrusan, Z.; Crosby, W.L. and Haughn, G.W.** (2001). The Arabidopsis Bell1 and Knox Tale Homeodomain Proteins Interact through a Domain Conserved between Plants and Animals. *Plant Cell* 13:2455-2470.
- Belles-Boix, E.; Hamant, O.; Witiak, S.M.; Morin, H.; Traas, J. and Pautot, V.** (2006). Knat6: An Arabidopsis Homeobox Gene Involved in Meristem Activity and Organ Separation. *Plant Cell* 18:1900-1907.
- Berry-Lowe, S.L. and Meagher, R.B.** (1985). Transcriptional Regulation of a Gene Encoding the Small Subunit of Ribulose-1,5-Bisphosphate Carboxylase in Soybean Tissue Is Linked to the Phytochrome Response. *Molecular and Cellular Biology* 5:1910-1917.
- Berumen, S. and Lownds, N.K.** (1996). Ethylene Production as a Drought Stress Response in *Cassia corymbosa*. *Horticultural Science* 31:649-655.
- Beyer, E.M.** (1979). Effect of Silver Ion, Carbon Dioxide, and Oxygen on Ethylene Action and Metabolism. *Plant Physiology* 63:169-173.
- Birnboim, H.C. and Doly, J.** (1979). A Rapid Alkaline Extraction Procedure for Screening Recombinant Plasmid DNA. *Nucleic Acids Research* 7:1513-1523.
- Blasing, O.E.; Gibon, Y.; Gunther, M.; Hohne, M.; Morcuende, R.; Osuna, D.;**

- Thimm, O.; Usadel, B.; Scheible, W.R. and Stitt, M.** (2005). Sugars and Circadian Regulation Make Major Contributions to the Global Regulation of Diurnal Gene Expression in Arabidopsis. *Plant Cell* 17:3257-3281.
- Bleecker, A.B. and Schaller, G.E.** (1996). The Mechanism of Ethylene Perception. *Plant Physiology* 111:653-660.
- Bolle, C.; Koncz, C. and Chua, N.H.** (2000). Pat1, a New Member of the Gras Family, Is Involved in Phytochrome a Signal Transduction. *Genes and Development* 14:1269-1278.
- Boyer, J.S.** (1970). Leaf Enlargement and Metabolic Rates in Corn, Soybean, and Sunflower at Various Leaf Water Potentials. *Plant Physiology* 46:233-235.
- Bradford, M.M.** (1976). A Rapid and Sensitive Method for the Quantitation of Microgram Quantities of Protein Utilizing the Principle of Protein-Dye Binding. *Analytical Biochemistry* 72:248-254.
- Burg, S.P. and Thimann, K.V.** (1959). The Physiology of Ethylene Formation in Apples. *Proceedings of the National Academy of Sciences (U.S.A.)* 45:335-344.
- Burg, S.P. and Thimann, K.V.** (1960). Studies on the Ethylene Production of Apple Tissue. *Plant Physiology* 35:24-35.
- Cabello, J.V.; Dezar, C.A.; Manavella, P.A. and Chan, R.L.** (2007). The Intron of the Arabidopsis Thaliana Cox5c Gene Is Able to Improve the Drought Tolerance Conferred by the Sunflower Hahb-4 Transcription Factor. *Planta* 226:1143-1154.
- Camp, P.J.; Huber, S.C.; Burke, J.J. and Moreland, D.E.** (1982). Biochemical Changes That Occur During Senescence of Wheat Leaves : I. Basis for the Reduction of Photosynthesis. *Plant Physiology* 70:1641-1646.
- Carter, C.E.; Szmids-Jaworska, A.; Hughes, M.; Thomas, B. and Jackson, S.** (2000). Phytochrome Regulation of Phytochrome a Mrna Levels in the Model Short-Day-Plant Pharbitis Nil. *Journal of Experimental Botany* 51:703-711.
- Chan, R.L.; Gago, G.M.; Palena, C.M. and Gonzalez, D.H.** (1998). Homeoboxes in Plant Development. *Biochimica et Biophysica Acta* 1442:1-19.
- Chao, Q.; Rothenberg, M.; Solano, R.; Roman, G.; Terzaghi, W. and Ecker, J.R.** (1997). Activation of the Ethylene Gas Response Pathway in Arabidopsis by the Nuclear Protein Ethylene-Insensitive3 and Related Proteins. *Cell* 89:1133-1144.
- Charrier, B.; Champion, A.; Henry, Y. and Kreis, M.** (2002). Expression Profiling of the Whole Arabidopsis Shaggy-Like Kinase Multigene Family by Real-Time Reverse Transcriptase-Polymerase Chain Reaction. *Plant Physiology* 130:577-590.
- Chen, W.J. and Zhu, T.** (2004). Networks of Transcription Factors with Roles in Environmental Stress Response. *Trends in Plant Science* 9:591-596.
- Chen, Y.F.; Etheridge, N. and Schaller, G.E.** (2005). Ethylene Signal Transduction. *Annals of Botany* 95:901-915.
- Chini, A.; Grant, J.J.; Seki, M.; Shinozaki, K. and Loake, G.J.** (2004). Drought Tolerance Established by Enhanced Expression of the Cc-Nbs-Lrr Gene, Adr1, Requires Salicylic Acid, Eds1 and Abi1. *Plant Journal* 38:810-822.
- Ciardi, J. and Klee, H.** (2001). Regulation of Ethylene-Mediated Responses at the

- Level of the Receptor. *Annals of Botany* 88:813-822.
- Clough, S.J. and Bent, A.F.** (1998). Floral Dip: A Simplified Method for Agrobacterium-Mediated Transformation of Arabidopsis Thaliana. *Plant Journal* 16:735-743.
- Colazza, S.; Fucarino, A.; Peri, E.; Salerno, G.; Conti, E. and Bin, F.** (2004). Insect Oviposition Induces Volatile Emission in Herbaceous Plants That Attracts Egg Parasitoids. *Journal of Experimental Biology* 207:47-53.
- Cole, M.; Nolte, C. and Werr, W.** (2006). Nuclear Import of the Transcription Factor Shoot Meristemless Depends on Heterodimerization with Blh Proteins Expressed in Discrete Sub-Domains of the Shoot Apical Meristem of Arabidopsis Thaliana. *Nucleic Acids Research* 34:1281-1292.
- Cook, E.R.; Seager, R.; Cane, M.A. and Stahle, D.W.** (2007). North American Drought: Reconstructions, Causes, and Consequences. *Earth Science Reviews* 81:93-134.
- Creelman, R.A.; Tierney, M.L. and Mullet, J.E.** (1992). Jasmonic Acid/Methyl Jasmonate Accumulate in Wounded Soybean Hypocotyls and Modulate Wound Gene Expression. *Proceedings of the National Academy of Sciences (U.S.A.)* 89:4938-4941.
- Creelman, R.A. and Mullet, J.E.** (1995). Jasmonic Acid Distribution and Action in Plants: Regulation During Development and Response to Biotic and Abiotic Stress. *Proceedings of the National Academy of Sciences (U.S.A.)* 92:4114-4119.
- Creelman, R.A. and Mullet, J.E.** (1997). Biosynthesis and Action of Jasmonates in Plants. *Annual Review of Plant Physiology and Plant Molecular Biology* 48:355-381.
- Crowe, M.L.; Serizet, C.; Thareau, V.; Aubourg, S.; Rouze, P.; Hilson, P.; Beynon, J.; Weisbeek, P.; van Hummelen, P.; Reymond, P.; Paz-Ares, J.; Nietfeld, W. and Trick, M.** (2003). Catma: A Complete Arabidopsis Gst Database. *Nucleic Acids Research* 31:156-158.
- Curi, G.C.; Chan, R.L. and Gonzalez, D.H.** (2005). The Leader Intron of Arabidopsis Thaliana Genes Encoding Cytochrome C Oxidase Subunit 5c Promotes High-Level Expression by Increasing Transcript Abundance and Translation Efficiency. *Journal of Experimental Botany* 56:2563-2571.
- De Moraes, C.M.; Mescher, M.C. and Tumlinson, J.H.** (2001). Caterpillar-Induced Nocturnal Plant Volatiles Repel Conspecific Females. *Nature* 410:577-580.
- Dean, C.; Favreau, M.; Bedbrook, J. and Dunsmuir, P.** (1989). Sequences 5' to Translation Start Regulate Expression of Petunia RbcS Genes. *Plant Cell* 1:209-215.
- Deblaere, R.; Bytebier, B.; De Greve, H.; Deboeck, F.; Schell, J.; Van Montagu, M. and Leemans, J.** (1985). Efficient Octopine Ti Plasmid-Derived Vectors for Agrobacterium-Mediated Gene Transfer to Plants. *Nucleic Acids Research* 13:4777-4788.
- Dehesh, K.; Bruce, W.B. and Quail, P.H.** (1990). A Trans-Acting Factor That Binds to a Gt-Motif in a Phytochrome Gene Promoter. *Science* 250:1397-1399.
- Denekamp, M. and Smeekens, S.C.** (2003). Integration of Wounding and Osmotic

- Stress Signals Determines the Expression of the Atmyb102 Transcription Factor Gene. *Plant Physiology* 132:1415-1423.
- Dezar, C.A.; Gago, G.M.; Gonzalez, D.H. and Chan, R.L.** (2005). Hahb-4, a Sunflower Homeobox-Leucine Zipper Gene, Is a Developmental Regulator and Confers Drought Tolerance to Arabidopsis Thaliana Plants. *Transgenic Research* 14:429-440.
- Dezar, C.A.; Fedrigo, G.V. and Chan, R.L.** (2005). The Promoter of the Sunflower Hd-Zip Protein Gene Hahb4 Directs Tissue-Specific Expression and Is Inducible by Water. *Plant Science* 169:447-456.
- Doares, S.H.; Narvaez-Vasquez, J.; Conconi, A. and Ryan, C.A.** (1995). Salicylic Acid Inhibits Synthesis of Proteinase Inhibitors in Tomato Leaves Induced by Systemin and Jasmonic Acid. *Plant Physiology* 108:1741-1746.
- Dodd, A.N.; Salathia, N.; Hall, A.; Kevei, E.; Toth, R.; Nagy, F.; Hibberd, J.M.; Millar, A.J. and Webb, A.A.** (2005). Plant Circadian Clocks Increase Photosynthesis, Growth, Survival, and Competitive Advantage. *Science* 309:630-633.
- Dolan, L.** (1997). The Role of Ethylene in the Development of Plant Form. *Journal of Experimental Botany* 48:201-210.
- Dong, X.** (1998). Sa, Ja, Ethylene, and Disease Resistance in Plants. *Current Opinion in Plant Biology*. 1:316-323.
- Doyle, J.J. and Doyle, J.L.** (1987). A Rapid DNA Isolation Procedure for Small Quantities of Fresh Leaf Tissue. *Phytochemistry Bulletin* 19:11-15.
- Dudareva, N.; Pichersky, E. and Gershenzon, J.** (2004). Biochemistry of Plant Volatiles. *Plant Physiology* 135:1893-1902.
- Ecker, J.R. and Davis, R.W.** (1987). Plant Defense Genes Are Regulated by Ethylene. *Proceedings of the National Academy of Sciences (U.S.A.)* 84:5202-5206.
- Ecker, J.R.** (1995). The Ethylene Signal Transduction Pathway in Plants. *Science* 268:667-675.
- Engelberth, J.; Alborn, H.T.; Schmelz, E.A. and Tumlinson, J.H.** (2004). Airborne Signals Prime Plants against Insect Herbivore Attack. *Proceedings of the National Academy of Sciences (U.S.A.)* 101:1781-1785.
- Escobar, M.A.; Franklin, K.A.; Svensson, A.S.; Salter, M.G.; Whitelam, G.C. and Rasmusson, A.G.** (2004). Light Regulation of the Arabidopsis Respiratory Chain. Multiple Discrete Photoreceptor Responses Contribute to Induction of Type Ii NAD(P)H Dehydrogenase Genes. *Plant Physiology* 136:2710-2721.
- Fairchild, C.D.; Schumaker, M.A. and Quail, P.H.** (2000). Hfr1 Encodes an Atypical BHLH Protein That Acts in Phytochrome a Signal Transduction. *Genes and Development* 14:2377-2391.
- Farmer, E.E.; Johnson, R.R. and Ryan, C.A.** (1992). Regulation of Expression of Proteinase Inhibitor Genes by Methyl Jasmonate and Jasmonic Acid. *Plant Physiology* 98:995-1002.
- Fedoroff, N.V.** (2002). Cross-Talk in Abscisic Acid Signaling. *Science STKE* 2002:RE10.
- Feinberg, A.P. and Vogelstein, B.** (1983). A Technique for Radiolabeling DNA

- Restriction Endonuclease Fragments to High Specific Activity. *Analytical Biochemistry* 132:6-13.
- Fischer, R.A. and Turner, N.C.** (1978). Plant Productivity in the Arid and Semiarid Zones. Annual Review of *Plant Physiology* 29:277-317.
- Flexas, J. and Medrano, H.** (2002). Drought-Inhibition of Photosynthesis in C3 Plants: Stomatal and Non-Stomatal Limitations Revisited. *Annals of Botany* 89:183-189.
- Flexas, J.; Ribas-Carbo, M.; Bota, J.; Galmes, J.; Henkle, M.; Martinez-Canellas, S. and Medrano, H.** (2006). Decreased Rubisco Activity During Water Stress Is Not Induced by Decreased Relative Water Content but Related to Conditions of Low Stomatal Conductance and Chloroplast Co₂ Concentration. *New Phytologist* 172:73-82.
- Frame, B.R.; Shou, H.; Chikwamba, R.K.; Zhang, Z.; Xiang, C.; Fonger, T.M.; Pegg, S.E.; Li, B.; Nettleton, D.S.; Pei, D. and Wang, K.** (2002). Agrobacterium Tumefaciens-Mediated Transformation of Maize Embryos Using a Standard Binary Vector System. *Plant Physiology* 129:13-22.
- Francia, D.; Demaria, D.; Calderini, O.; Ferraris, L.; Valentino, D.; Arcioni, S.; Tamietti, G. and Cardinale, F.** (2007). Wounding Induces Resistance to Pathogens with Different Lifestyles in Tomato: Role of Ethylene in Cross-Protection. *Plant Cell and Environment* 30:1357-1365.
- Furbank, R.T. and Taylor, W.C.** (1995). Regulation of Photosynthesis in C3 and C4 Plants: A Molecular Approach. *Plant Cell* 7:797-807.
- Gago, G.M.; Almoguera, C.; Jordano, J.; Gonzalez, D.H. and Chan, R.L.** (2002). Hahb-4, a Homeobox-Leucine Zipper Gene Potentially Involved in Abscisic Acid-Dependent Responses to Water Stress in Sunflower. *Plant Cell and Environment* 25:633-640.
- Gallagher, T.F. and Ellis, R.J.** (1982). Light-Stimulated Transcription of Genes for Two Chloroplast Polypeptides in Isolated Pea Leaf Nuclei. *EMBO Journal* 1:1493-1498.
- Gamborg, O.L.; Miller, R.A. and Ojima, K.** (1968). Nutrient Requirements of Suspension Cultures of Soybean Root Cells. *Experimental Cell Research* 50:151-158.
- Gao, X.P.; Wang, X.F.; Lu, Y.F.; Zhang, L.Y.; Shen, Y.Y.; Liang, Z. and Zhang, D.P.** (2004). Jasmonic Acid Is Involved in the Water-Stress-Induced Betaine Accumulation in Pear Leaves. *Plant Cell and Environment* 27:497-507.
- Garber, R.L.; Kuroiwa, A. and Gehring, W.J.** (1983). Genomic and Cdna Clones of the Homeotic Locus Antennapedia in Drosophila. *EMBO Journal* 2:2027-2036.
- Gehring, W.J.; Qian, Y.Q.; Billeter, M.; Furukubo-Tokunaga, K.; Schier, A.F.; Resendez-Perez, D.; Affolter, M.; Otting, G. and Wuthrich, K.** (1994). Homeodomain-DNA Recognition. *Cell* 78:211-223.
- Gehring, C.A.; Irving, H.R.; McConchie, R. and Parish, R.W.** (1997). Jasmonates Induce Intracellular Alkalinization and Closure Ofpaphiopedilumguard Cells. *Annals of Botany* 80:485-489.
- Gepstein, S. and Thimann, K.V.** (1981). The Role of Ethylene in the Senescence of

- Oat Leaves. *Plant Physiology* 68:349-354.
- Ghassemian, M.; Nambara, E.; Cutler, S.; Kawaide, H.; Kamiya, Y. and McCourt, P.** (2000). Regulation of Abscisic Acid Signaling by the Ethylene Response Pathway in Arabidopsis. *Plant Cell* 12:1117-1126.
- Gilmartin, P.M. and Chua, N.H.** (1990). Spacing between Gt-1 Binding Sites within a Light-Responsive Element Is Critical for Transcriptional Activity. *Plant Cell* 2:447-455.
- Gilmartin, P.M.; Sarokin, L.; Memelink, J. and Chua, N.H.** (1990). Molecular Light Switches for Plant Genes. *Plant Cell* 2:369-378.
- Gilmartin, P.M.; Memelink, J.; Hiratsuka, K.; Kay, S.A. and Chua, N.H.** (1992). Characterization of a Gene Encoding a DNA Binding Protein with Specificity for a Light-Responsive Element. *Plant Cell* 4:839-849.
- Gleave, A.P.** (1992). A Versatile Binary Vector System with a T-DNA Organisational Structure Conducive to Efficient Integration of Cloned DNA into the Plant Genome. *Plant Molecular Biology* 20:1203-1207.
- Goff, S.A.; Ricke, D.; Lan, T.H.; Presting, G.; Wang, R.; Dunn, M.; Glazebrook, J.; Sessions, A.; Oeller, P.; Varma, H.; Hadley, D.; Hutchison, D.; Martin, C.; Katagiri, F.; Lange, B.M.; Moughamer, T.; Xia, Y.; Budworth, P.; Zhong, J.; Miguel, T.; Paszkowski, U.; Zhang, S.; Colbert, M.; Sun, W.L.; Chen, L.; Cooper, B.; Park, S.; Wood, T.C.; Mao, L.; Quail, P.; Wing, R.; Dean, R.; Yu, Y.; Zharkikh, A.; Shen, R.; Sahasrabudhe, S.; Thomas, A.; Cannings, R.; Gutin, A.; Pruss, D.; Reid, J.; Tavtigian, S.; Mitchell, J.; Eldredge, G.; Scholl, T.; Miller, R.M.; Bhatnagar, S.; Adey, N.; Rubano, T.; Tusneem, N.; Robinson, R.; Feldhaus, J.; Macalma, T.; Oliphant, A. and Briggs, S.** (2002). A Draft Sequence of the Rice Genome (*Oryza Sativa* L. Ssp. Japonica). *Science* 296:92-100.
- Gray, J.; Picton, S.; Shabbeer, J.; Schuch, W. and Grierson, D.** (1992). Molecular Biology of Fruit Ripening and Its Manipulation with Antisense Genes. *Plant Molecular Biology* 19:69-87.
- Grbic, V. and Bleecker, A.B.** (1995). Ethylene Regulates the Timing of Leaf Senescence in Arabidopsis. *Plant Journal* 8:595-602.
- Green, P.J.; Yong, M.H.; Cuzzo, M.; Kano-Murakami, Y.; Silverstein, P. and Chua, N.H.** (1988). Binding Site Requirements for Pea Nuclear Protein Factor Gt-1 Correlate with Sequences Required for Light-Dependent Transcriptional Activation of the Rbcs-3a Gene. *EMBO Journal* 7:4035-4044.
- Guzman, P. and Ecker, J.R.** (1990). Exploiting the Triple Response of Arabidopsis to Identify Ethylene-Related Mutants. *Plant Cell* 2:513-523.
- Hajdukiewicz, P.; Svab, Z. and Maliga, P.** (1994). The Small, Versatile Ppzp Family of Agrobacterium Binary Vectors for Plant Transformation. *Plant Molecular Biology* 25:989-994.
- Halitschke, R.; Schittko, U.; Pohnert, G.; Boland, W. and Baldwin, I.T.** (2001). Molecular Interactions between the Specialist Herbivore *Manduca sexta* (Lepidoptera, Sphingidae) and Its Natural Host *Nicotiana attenuata*. iii. Fatty Acid-Amino Acid Conjugates in Herbivore Oral Secretions Are Necessary and

- Sufficient for Herbivore-Specific Plant Responses. *Plant Physiology* 125:711-717.
- Hall, T.C.; Ma, Y.; Buchbinder, B.U.; Pyne, J.W.; Sun, S.M. and Bliss, F.A.** (1978). Messenger Rna for G1 Protein of French Bean Seeds: Cell-Free Translation and Product Characterization. *Proceedings of the National Academy of Sciences (U.S.A.)* 75:3196-3200.
- Hamilton, A.J.; Lycett, G.W. and Grierson, D.** (1990). Antisense Gene That Inhibits Synthesis of the Hormone Ethylene in Transgenic Plants. *Nature* 346:284-287.
- Hanahan, D.** (1983). Studies on Transformation of Escherichia Coli with Plasmids. *Journal of Molecular Biology* 166:557-580.
- Harrison, E.P.; Olcer, H.; Lloyd, J.C.; Long, S.P. and Raines, C.A.** (2001). Small Decreases in Sbpase Cause a Linear Decline in the Apparent Rubp Regeneration Rate, but Do Not Affect Rubisco Carboxylation Capacity. *Journal of Experimental Botany* 52:1779-1784.
- He, Y.; Fukushige, H.; Hildebrand, D.F. and Gan, S.** (2002). Evidence Supporting a Role of Jasmonic Acid in Arabidopsis Leaf Senescence. *Plant Physiology* 128:876-884.
- Heil, M.** (2004). Direct Defense or Ecological Costs: Responses of Herbivorous Beetles to Volatiles Released by Wild Lima Bean (*Phaseolus Lunatus*). *Journal of Chemical Ecology* 30:1289-1295.
- Hennessey, T.L. and Field, C.B.** (1991). Circadian Rhythms in Photosynthesis : Oscillations in Carbon Assimilation and Stomatal Conductance under Constant Conditions. *Plant Physiology* 96:831-836.
- Henriksson, E.; Olsson, A.S.; Johannesson, H.; Johansson, H.; Hanson, J.; Engstrom, P. and Soderman, E.** (2005). Homeodomain Leucine Zipper Class I Genes in Arabidopsis. Expression Patterns and Phylogenetic Relationships. *Plant Physiology* 139:509-518.
- Higo, K.; Ugawa, Y.; Iwamoto, M. and Korenaga, T.** (1999). Plant Cis-Acting Regulatory DNA Elements (Place) Database: 1999. *Nucleic Acids Research* 27:297-300.
- Hilson, P.; Allemeersch, J.; Altmann, T.; Aubourg, S.; Avon, A.; Beynon, J.; Bhalerao, R.P.; Bitton, F.; Caboche, M.; Cannoot, B.; Chardakov, V.; Cagnet-Holliger, C.; Colot, V.; Crowe, M.; Darimont, C.; Durinck, S.; Eickhoff, H.; de Longevialle, A.F.; Farmer, E.E.; Grant, M.; Kuiper, M.T.; Lehrach, H.; Leon, C.; Leyva, A.; Lundeberg, J.; Lurin, C.; Moreau, Y.; Nietfeld, W.; Paz-Ares, J.; Raymond, P.; Rouze, P.; Sandberg, G.; Segura, M.D.; Serizet, C.; Tabrett, A.; Tacconnat, L.; Thareau, V.; Van Hummelen, P.; Vercruyse, S.; Vuylsteke, M.; Weingartner, M.; Weisbeek, P.J.; Wirta, V.; Wittink, F.R.; Zabeau, M. and Small, I.** (2004). Versatile Gene-Specific Sequence Tags for Arabidopsis Functional Genomics: Transcript Profiling and Reverse Genetics Applications. *Genome Research* 14:2176-2189.
- Himmelbach, A.; Hoffmann, T.; Leube, M.; Hohener, B. and Grill, E.** (2002). Homeodomain Protein Athb6 Is a Target of the Protein Phosphatase Abi1 and Regulates Hormone Responses in Arabidopsis. *EMBO Journal* 21:3029-3038.

- Hoffman, N.E.; Yang, S.F. and McKeon, T.** (1982). Identification of 1-(Malonylamino)Cyclopropane-1-Carboxylic Acid as a Major Conjugate of 1-Aminocyclopropane-1-Carboxylic Acid, an Ethylene Precursor in Higher Plants. *Biochemical and Biophysical Research Communications* 104:765-770.
- Holopainen, J.K.** (2004). Multiple Functions of Inducible Plant Volatiles. *Trends in Plant Science* 9:529-533.
- Hortensteiner, S.** (2006). Chlorophyll Degradation During Senescence. *Annual Review of Plant Biology* 57:55-77.
- Howe, G.A.; Lightner, J.; Browse, J. and Ryan, C.A.** (1996). An Octadecanoid Pathway Mutant (J15) of Tomato Is Compromised in Signaling for Defense against Insect Attack. *Plant Cell* 8:2067-2077.
- Howe, G.A.** (2004). Jasmonates as Signals in the Wound Response. *J. Plant Growth Regulation* 23:223-237.
- Hudson, M.; Ringli, C.; Boylan, M.T. and Quail, P.H.** (1999). The Far1 Locus Encodes a Novel Nuclear Protein Specific to Phytochrome a Signaling. *Genes and Development* 13:2017-2027.
- Humbeck, K. and Krupinska, K.** (2003). The Abundance of Minor Chlorophyll a/B-Binding Proteins Cp29 and Lhci of Barley (*Hordeum Vulgare* L.) During Leaf Senescence Is Controlled by Light. *Journal of Experimental Botany* 54:375-383.
- Huq, E. and Quail, P.H.** (2002). Pif4, a Phytochrome-Interacting Bhlh Factor, Functions as a Negative Regulator of Phytochrome B Signaling in Arabidopsis. *EMBO Journal* 21:2441-2450.
- Huq, E.; Al-Sady, B.; Hudson, M.; Kim, C.; Apel, K. and Quail, P.H.** (2004). Phytochrome-Interacting Factor 1 Is a Critical Bhlh Regulator of Chlorophyll Biosynthesis. *Science* 305:1937-1941.
- Hwang, S. and Herrin, D.L.** (1994). Control of Lhc Gene Transcription by the Circadian Clock in *Chlamydomonas Reinhardtii*. *Plant Molecular Biology* 26:557-569.
- Inaba, T.; Nagano, Y.; Reid, J.B. and Sasaki, Y.** (2000). De1, a 12-Base Pair Cis-Regulatory Element Sufficient to Confer Dark-Inducible and Light Down-Regulated Expression to a Minimal Promoter in Pea. *Journal of Biological Chemistry* 275:19723-19727.
- Ishiguro, S.; Kawai-Oda, A.; Ueda, J.; Nishida, I. and Okada, K.** (2001). The Defective in Anther Dehiscence1 Gene Encodes a Novel Phospholipase A1 Catalyzing the Initial Step of Jasmonic Acid Biosynthesis, Which Synchronizes Pollen Maturation, Anther Dehiscence, and Flower Opening in Arabidopsis. *Plant Cell* 13:2191-2209.
- Jefferson, R.A.; Kavanagh, T.A. and Bevan, M.W.** (1987). Gus Fusions: Beta-Glucuronidase as a Sensitive and Versatile Gene Fusion Marker in Higher Plants. *EMBO Journal* 6:3901-3907.
- Jiang, C.Z.; Rodermel, S.R. and Shibles, R.M.** (1993). Photosynthesis, Rubisco Activity and Amount, and Their Regulation by Transcription in Senescing Soybean Leaves. *Plant Physiology* 101:105-112.
- Johannesson, H.; Wang, Y. and Engstrom, P.** (2001). DNA-Binding and

- Dimerization Preferences of Arabidopsis Homeodomain-Leucine Zipper Transcription Factors in Vitro. *Plant Molecular Biology* 45:63-73.
- Johnson, R.; Narvaez, J.; An, G. and Ryan, C.** (1989). Expression of Proteinase Inhibitors I and II in Transgenic Tobacco Plants: Effects on Natural Defense against *Manduca sexta* Larvae. *Proceedings of the National Academy of Sciences (U.S.A.)* 86:9871-9875.
- Jung, C.; Lyou, S.H.; Yeu, S.; Kim, M.A.; Rhee, S.; Kim, M.; Lee, J.S.; Choi, Y.D. and Cheong, J.J.** (2007). Microarray-Based Screening of Jasmonate-Responsive Genes in Arabidopsis Thaliana. *Plant Cell Reports* 26:1053-1063.
- Kahl, J.; Siemens, D.H.; Aerts, R.J.; Gabler, R.; Kuhnemann, F.; Preston, C.A. and Baldwin, I.T.** (2000). Herbivore-Induced Ethylene Suppresses a Direct Defense but Not a Putative Indirect Defense against an Adapted Herbivore. *Planta* 210:336-342.
- Kappers, I.F.; Aharoni, A.; van Herpen, T.W.J.M.; Luckerhoff, L.L.P.; Dicke, M. and Bouwmeester, H.J.** (2005). Genetic Engineering of Terpenoid Metabolism Attracts Bodyguards to Arabidopsis. *Science* 309:2070-2072.
- Kasukabe, Y.; He, L.; Nada, K.; Misawa, S.; Ihara, I. and Tachibana, S.** (2004). Overexpression of Spermidine Synthase Enhances Tolerance to Multiple Environmental Stresses and up-Regulates the Expression of Various Stress-Regulated Genes in Transgenic Arabidopsis Thaliana. *Plant and Cell Physiology* 45:712-722.
- Kempema, L.A.; Cui, X.; Holzer, F.M. and Walling, L.L.** (2007). Arabidopsis Transcriptome Changes in Response to Phloem-Feeding Silverleaf Whitefly Nymphs. Similarities and Distinctions in Responses to Aphids. *Plant Physiology* 143:849-865.
- Kende, H.** (1993). Ethylene Biosynthesis. *Annual Review of Plant Physiology and Plant Molecular Biology* 44:283-307.
- Kessler, A. and Baldwin, I.T.** (2001). Defensive Function of Herbivore-Induced Plant Volatile Emissions in Nature. *Science* 291:2141-2144.
- Kessler, A. and Baldwin, I.T.** (2002). Plant Responses to Insect Herbivory: The Emerging Molecular Analysis. *Annual Review of Plant Biology* 53:299-328.
- Kessler, A.; Halitschke, R. and Baldwin, I.T.** (2004). Silencing the Jasmonate Cascade: Induced Plant Defenses and Insect Populations. *Science* 305:665-668.
- Khanna-Chopra, R. and Sinha, S.K.** (1988). Enhancement of Drought-Induced Senescence by the Reproductive Sink in Fertile Lines of Wheat and Sorghum. *Annals of Botany* 61:649-653.
- Kieber, J.J.; Rothenberg, M.; Roman, G.; Feldmann, K.A. and Ecker, J.R.** (1993). *Ctrl1*, a Negative Regulator of the Ethylene Response Pathway in Arabidopsis, Encodes a Member of the Raf Family of Protein Kinases. *Cell* 72:427-441.
- Kieber, J.J.** (1997). The Ethylene Response Pathway in Arabidopsis. *Annu. Rev. Plant Physiology Plant Molecular Biology* 48:277-296.
- Kieffer, M.; Stern, Y.; Cook, H.; Clerici, E.; Maulbetsch, C.; Laux, T. and Davies, B.** (2006). Analysis of the Transcription Factor *Wuschel* and Its Functional Homologue in *Antirrhinum* Reveals a Potential Mechanism for Their Roles in

- Meristem Maintenance. *Plant Cell* 18:560-573.
- Kissinger, C.R.; Liu, B.S.; Martin-Blanco, E.; Kornberg, T.B. and Pabo, C.O.** (1990). Crystal Structure of an Engrailed Homeodomain-DNA Complex at 2.8 Å Resolution: A Framework for Understanding Homeodomain-DNA Interactions. *Cell* 63:579-590.
- Kneissl, M.L. and Deikman, J.** (1996). The Tomato E8 Gene Influences Ethylene Biosynthesis in Fruit but Not in Flowers. *Plant Physiology* 112:537-547.
- Koiwa, H.B., R.A. Hasegawa, P.M.** (1997). Regulation of Protease Inhibitors and Plant Defense. *Trends in Plant Science* 2:379-384.
- Kucera, B.; Cohn, M.A. and Leubner-Metzger, G.** (2005). Plant Hormone Interactions During Seed Dormancy Release and Germination. (Cambridge Journals Online).
- Kuhlemeier, C.; Fluhr, R.; Green, P.J. and Chua, N.H.** (1987). Sequences in the Pea Rbcs-3a Gene Have Homology to Constitutive Mammalian Enhancers but Function as Negative Regulatory Elements. *Genes and Development* 1:247-255.
- Kuno, N.; Muramatsu, T.; Hamazato, F. and Furuya, M.** (2000). Identification by Large-Scale Screening of Phytochrome-Regulated Genes in Etiolated Seedlings of Arabidopsis Using a Fluorescent Differential Display Technique. *Plant Physiology* 122:15-24.
- Kura-Hotta, M.; Satoh, K. and Katoh, S.** (1987). Relationship between Photosynthesis and Chlorophyll Content During Leaf Senescence of Rice Seedlings. *Plant and Cell Physiology* 28:1321-1329.
- Lee, Y.H.; Oh, H.S.; Cheon, C.I.; Hwang, I.T.; Kim, Y.J. and Chun, J.Y.** (2001). Structure and Expression of the Arabidopsis Thaliana Homeobox Gene Athb-12. *Biochemical and Biophysical Research Communications* 284:133-141.
- Lee, S.W. and Hahn, T.R.** (2002). Two Light-Responsive Elements of Pea Chloroplastic Fructose-1,6-Bisphosphatase Gene Involved in the Red-Light-Specific Gene Expression in Transgenic Tobaccos. *Biochimica et Biophysica Acta* 1579:8-17.
- Leibfried, A.; To, J.P.; Busch, W.; Stehling, S.; Kehle, A.; Demar, M.; Kieber, J.J. and Lohmann, J.U.** (2005). Wuschel Controls Meristem Function by Direct Regulation of Cytokinin-Inducible Response Regulators. *Nature* 438:1172-1175.
- Leon, J.; Rojo, E. and Sanchez-Serrano, J.J.** (2001). Wound Signalling in Plants. *Journal of Experimental Botany* 52:1-9.
- Levitt, J.** (1980). A Reply to Stout's 'Plant Plasma Membrane Water Permeability and Slow Freezing Injury' (Plant, Cell and Environment 2, 273-275, 1979.). *Plant Cell and Environment* 3:159-160.
- Li, J. and Chory, J.** (1998). Preparation of DNA from Arabidopsis. *Methods Molecular Biology* 82:55-60.
- Li, L.; Li, C.; Lee, G.I. and Howe, G.A.** (2002). Distinct Roles for Jasmonate Synthesis and Action in the Systemic Wound Response of Tomato. *Proceedings of the National Academy of Sciences (U.S.A.)* 99:6416-6421.
- Li, J.; Brader, G. and Palva, E.T.** (2004). The Wrky70 Transcription Factor: A Node of Convergence for Jasmonate-Mediated and Salicylate-Mediated Signals in

- Plant Defense. *Plant Cell* 16:319-331.
- Li, L.; Zhao, Y.; McCaig, B.C.; Wingerd, B.A.; Wang, J.; Whalon, M.E.; Pichersky, E. and Howe, G.A.** (2004). The Tomato Homolog of Coronatine-Insensitive1 Is Required for the Maternal Control of Seed Maturation, Jasmonate-Signaled Defense Responses, and Glandular Trichome Development. *Plant Cell* 16:126-143.
- Li, C.; Schillmiller, A.L.; Liu, G.; Lee, G.I.; Jayanty, S.; Sageman, C.; Vrebalov, J.; Giovannoni, J.J.; Yagi, K.; Kobayashi, Y. and Howe, G.A.** (2005). Role of Beta-Oxidation in Jasmonate Biosynthesis and Systemic Wound Signaling in Tomato. *Plant Cell* 17:971-986.
- Lieberman, M.** (1979). Biosynthesis and Action of Ethylene. *Annu. Rev. Plant Physiology* 30:533-591.
- Lin, R.-C.; Park, H.-J. and Wang, H.-Y.** (2008). Role of Arabidopsis Rap2.4 in Regulating Light- and Ethylene-Mediated Developmental Processes and Drought Stress Tolerance. *Molecular Plant* 1:42-47
- Lorenzo, O.; Piqueras, R.; Sanchez-Serrano, J.J. and Solano, R.** (2003). Ethylene Response Factor1 Integrates Signals from Ethylene and Jasmonate Pathways in Plant Defense. *Plant Cell* 15:165-178.
- Lurin, C.; Andres, C.; Aubourg, S.; Bellaoui, M.; Bitton, F.; Bruyere, C.; Caboche, M.; Debast, C.; Gualberto, J.; Hoffmann, B.; Lecharny, A.; Le Ret, M.; Martin-Magniette, M.L.; Mireau, H.; Peeters, N.; Renou, J.P.; Szurek, B.; Tacонат, L. and Small, I.** (2004). Genome-Wide Analysis of Arabidopsis Pentatricopeptide Repeat Proteins Reveals Their Essential Role in Organelle Biogenesis. *Plant Cell* 16:2089-2103.
- Maleck, K. and Dietrich, R.A.** (1999). Defense on Multiple Fronts: How Do Plants Cope with Diverse Enemies? *Trends in Plant Science* 4:215-219.
- Maliga, P.; Klessig, D.F.; Cashmore, A.R.; Gruitsem, W. and Varner, J.E.** (1995). Identification of Promoter Sequences That Interact with DNA Binding Proteins. In *Methods in Plant Molecular Biology: A Laboratory Course Manual*. (New York: Col Spring Harbor Laboratory Press), pp. 233-260.
- Manavella, P.A.; Arce, A.L.; Dezar, C.A.; Bitton, F.; Renou, J.P.; Crespi, M. and Chan, R.L.** (2006). Cross-Talk between Ethylene and Drought Signalling Pathways Is Mediated by the Sunflower Hahb-4 Transcription Factor. *Plant Journal* 48:125-137.
- Manzara, T. and Gruitsem, W.** (1988). Organization and Expression of the Genes Encoding Ribulose-1,5-Bisphosphate Carboxylase in Higher Plants. *Photosynthesis Research* 16:117-139.
- Maslenkova, L.T.; Miteva, T.S. and Popova, L.P.** (1992). Changes in the Polypeptide Patterns of Barley Seedlings Exposed to Jasmonic Acid and Salinity. *Plant Physiology* 98:700-707.
- Matsui, K.** (2006). Green Leaf Volatiles: Hydroperoxide Lyase Pathway of Oxylipin Metabolism. *Current Opinion in Plant Biology* 9:274-280.
- Mattsson, J.; Ckurshumova, W. and Berleth, T.** (2003). Auxin Signaling in Arabidopsis Leaf Vascular Development. *Plant Physiology* 131:1327-1339.

- Mayda, E.; Tornero, P.; Conejero, V. and Vera, P.** (1999). A Tomato Homeobox Gene (Hd-Zip) Is Involved in Limiting the Spread of Programmed Cell Death. *Plant Journal* 20:591-600.
- McCloud, E.S. and Baldwin, I.T.** (1997). Herbivory and Caterpillar Regurgitants Amplify the Wound-Induced Increases in Jasmonic Acid but Not Nicotine in *Nicotiana glauca*. *Planta* 203:430-435.
- McClung, C.R.** (2006). Plant Circadian Rhythms. *Plant Cell* 18:792-803.
- McConn, M.; Creelman, R.A.; Bell, E.; Mullet, J.E. and Browse, J.** (1997). Jasmonate Is Essential for Insect Defense in Arabidopsis. *Proceedings of the National Academy of Sciences (U.S.A.)* 94:5473-5477.
- Medrano, H.; Escalona, J.M.; Bota, J.; Gulias, J. and Flexas, J.** (2002). Regulation of Photosynthesis of C3 Plants in Response to Progressive Drought: Stomatal Conductance as a Reference Parameter. *Annals of Botany* 89:895-905.
- Meijer, A.H.; de Kam, R.J.; d'Erfurth, I.; Shen, W. and Hoge, J.H.** (2000). Hd-Zip Proteins of Families I and II from Rice: Interactions and Functional Properties. *Molecular and General Genetics* 263:12-21.
- Mele, G.; Ori, N.; Sato, Y. and Hake, S.** (2003). The Knotted1-Like Homeobox Gene *Brevipedicellus* Regulates Cell Differentiation by Modulating Metabolic Pathways. *Genes and Development* 17:2088-2093.
- Miao, Y.; Laun, T.; Zimmermann, P. and Zentgraf, U.** (2004). Targets of the *Wrky53* Transcription Factor and Its Role During Leaf Senescence in Arabidopsis. *Plant Molecular Biology* 55:853-867.
- Miao, Y. and Zentgraf, U.** (2007). The Antagonist Function of Arabidopsis *Wrky53* and *Esr/Esp* in Leaf Senescence Is Modulated by the Jasmonic and Salicylic Acid Equilibrium. *Plant Cell* 19:819-830.
- Moens, C.B. and Selleri, L.** (2006). Hox Cofactors in Vertebrate Development. *Developmental Biology* 291:193-206.
- Morelli, G. and Ruberti, I.** (2002). Light and Shade in the Photocontrol of Arabidopsis Growth. *Trends in Plant Science* 7:399-404.
- Murashige, T. and Skoog, F.** (1962). A Revised Medium for Rapid Growth and Bio Assays with Tobacco Tissue Cultures. *Physiologia Plantarum* 15:473-497.
- Nagano, Y.; Inaba, T.; Furuhashi, H. and Sasaki, Y.** (2001). Trihelix DNA-Binding Protein with Specificities for Two Distinct Cis-Elements: Both Important for Light Down-Regulated and Dark-Inducible Gene Expression in Higher Plants. *Journal of Biological Chemistry* 276:22238-22243.
- Nagatani, A.** (2000). Plant Biology:Lighting up the Nucleus. *Science* 288:821-822.
- Nagpal, P.; Ellis, C.M.; Weber, H.; Ploense, S.E.; Barkawi, L.S.; Guilfoyle, T.J.; Hagen, G.; Alonso, J.M.; Cohen, J.D.; Farmer, E.E.; Ecker, J.R. and Reed, J.W.** (2005). Auxin Response Factors *Arf6* and *Arf8* Promote Jasmonic Acid Production and Flower Maturation. *Development* 132:4107-4118.
- Nagy, F.; Kay, S.A. and Chua, N.H.** (1988). Gene Regulation by Phytochrome. *Trends in Genetics* 4:37-42.
- Nakahira, Y.; Baba, K.; Yoneda, A.; Shiina, T. and Toyoshima, Y.** (1998). Circadian-Regulated Transcription of the *PsbD* Light-Responsive Promoter in

- Wheat Chloroplasts. *Plant Physiology* 118:1079-1088.
- Nakamura, M.; Katsumata, H.; Abe, M.; Yabe, N.; Komeda, Y.; Yamamoto, K.T. and Takahashi, T.** (2006). Characterization of the Class Iv Homeodomain-Leucine Zipper Gene Family in Arabidopsis. *Plant Physiology* 141:1363-1375.
- Neff, M.M.; Fankhauser, C. and Chory, J.** (2000). Light: An Indicator of Time and Place. *Genes and Development* 14:257-271.
- Ni, M.; Tepperman, J.M. and Quail, P.H.** (1998). Pif3, a Phytochrome-Interacting Factor Necessary for Normal Photoinduced Signal Transduction, Is a Novel Basic Helix-Loop-Helix Protein. *Cell* 95:657-667.
- O'Donnell, P.J.; Calvert, C.; Atzorn, R.; Wasternack, C.; Leyser, H.M.O. and Bowles, D.J.** (1996). Ethylene as a Signal Mediating the Wound Response of Tomato Plants. *Science* 274:1914-1917.
- O'Donnell, P.J.; Schmelz, E.; Block, A.; Miersch, O.; Wasternack, C.; Jones, J.B. and Klee, H.J.** (2003). Multiple Hormones Act Sequentially to Mediate a Susceptible Tomato Pathogen Defense Response. *Plant Physiology* 133:1181-1189.
- Oeller, P.W.; Lu, M.W.; Taylor, L.P.; Pike, D.A. and Theologis, A.** (1991). Reversible Inhibition of Tomato Fruit Senescence by Antisense RNA. *Science* 254:437-439.
- Ohme-Takagi, M.; Suzuki, K. and Shinshi, H.** (2000). Regulation of Ethylene-Induced Transcription of Defense Genes. *Plant and Cell Physiology* 41:1187-1192.
- Olsson, A.S.; Engstrom, P. and Soderman, E.** (2004). The Homeobox Genes Athb12 and Athb7 Encode Potential Regulators of Growth in Response to Water Deficit in Arabidopsis. *Plant Molecular Biology* 55:663-677.
- Ooms, G.; Hooykaas, P.J.; Van Veen, R.J.; Van Beelen, P.; Regensburg-Tuink, T.J. and Schilperoort, R.A.** (1982). Octopine Ti-Plasmid Deletion Mutants of *Agrobacterium Tumefaciens* with Emphasis on the Right Side of the T-Region. *Plasmid* 7:15-29.
- Oyama, T.; Shimura, Y. and Okada, K.** (1997). The Arabidopsis Hy5 Gene Encodes a Bzip Protein That Regulates Stimulus-Induced Development of Root and Hypocotyl. *Genes and Development* 11:2983-2995.
- Palena, C.M.; Gonzalez, D.H. and Chan, R.L.** (1999). A Monomer-Dimer Equilibrium Modulates the Interaction of the Sunflower Homeodomain Leucine-Zipper Protein Hahb-4 with DNA. *Biochemical Journal* 341:81-87.
- Palena, C.M.; Tron, A.E.; Bertoncini, C.W.; Gonzalez, D.H. and Chan, R.L.** (2001). Positively Charged Residues at the N-Terminal Arm of the Homeodomain Are Required for Efficient DNA Binding by Homeodomain-Leucine Zipper Proteins. *Journal of Molecular Biology* 308:39-47.
- Park, J.H.; Halitschke, R.; Kim, H.B.; Baldwin, I.T.; Feldmann, K.A. and Feyereisen, R.** (2002). A Knock-out Mutation in Allene Oxide Synthase Results in Male Sterility and Defective Wound Signal Transduction in Arabidopsis Due to a Block in Jasmonic Acid Biosynthesis. *Plant Journal* 31:1-12.
- Park, D.H.; Lim, P.O.; Kim, J.S.; Cho, D.S.; Hong, S.H. and Nam, H.G.** (2003).

- The Arabidopsis Cog1 Gene Encodes a Dof Domain Transcription Factor and Negatively Regulates Phytochrome Signaling. *Plant Journal* 34:161-171.
- Park, S.-Y.; Yu, J.-W.; Park, J.-S.; Li, J.; Yoo, S.-C.; Lee, N.-Y.; Lee, S.-K.; Jeong, S.-W.; Seo, H.S.; Koh, H.-J.; Jeon, J.-S.; Park, Y.-I. and Paek, N.-C.** (2007). The Senescence-Induced Staygreen Protein Regulates Chlorophyll Degradation. *Plant Cell* 19:1649-1664.
- Parthier, B.** (1990). Jasmonates: Hormonal Regulators or Stress Factors in Leaf Senescence? *Journal of Plant Growth Regulation* 9:57-63.
- Paschold, A.; Halitschke, R. and Baldwin, I.T.** (2006). Using 'Mute' Plants to Translate Volatile Signals. *Plant Journal* 45:275-291.
- Paschold, A.; Halitschke, R. and Baldwin, I.T.** (2007). Co(I)-Ordinating Defenses: Naco1 Mediates Herbivore- Induced Resistance in *Nicotiana Attenuata* and Reveals the Role of Herbivore Movement in Avoiding Defenses. *Plant Journal* 51:79-91.
- Pastenes, C.; Pimentel, P. and Lillo, J.** (2005). Leaf Movements and Photoinhibition in Relation to Water Stress in Field-Grown Beans. *Journal of Experimental Botany* 56:425-433.
- Paul, N.D.; Hatcher, P.E. and Taylor, J.E.** (2000). Coping with Multiple Enemies: An Integration of Molecular and Ecological Perspectives. *Trends in Plant Science* 5:220-225.
- Paul, M.J. and Foyer, C.H.** (2001). Sink Regulation of Photosynthesis. *Journal of Experimental Botany* 52:1383-1400.
- Peiser, G.D.; Wang, T.-T.; Hoffman, N.E.; Yang, S.; Liu, H.-W. and Walsh, C.T.** (1984). Formation of Cyanide from Carbon 1 of 1-Aminocyclopropane-1-Carboxylic Acid During Its Conversion to Ethylene. *Proceedings of the National Academy of Sciences (U.S.A.)* 81:3059-3063.
- Pena-Cortés, H.; Albrecht, T.; Prat, S.; Weiler, E.W. and Willmitzer, L.** (1993). Aspirin Prevents Wound-Induced Gene Expression in Tomato Leaves by Blocking Jasmonic Acid Biosynthesis. *Planta* 191:123-128.
- Penarrubia, L.; Aguilar, M.; Margossian, L. and Fischer, R.L.** (1992). An Antisense Gene Stimulates Ethylene Hormone Production During Tomato Fruit Ripening. *Plant Cell* 4:681-687.
- Penninckx, I.A.M.A.; Thomma, B.P.H.J.; Buchala, A.; Mettraux, J.-P. and Broekaert, W.F.** (1998). Concomitant Activation of Jasmonate and Ethylene Response Pathways Is Required for Induction of a Plant Defensin Gene in Arabidopsis. *Plant Cell* 10:2103-2114.
- Perez, A.G.; Sanz, C.; Olias, R. and Olias, J.M.** (1999). Lipoxygenase and Hydroperoxide Lyase Activities in Ripening Strawberry Fruits. *Journal of Agricultural and Food Chemistry* 47:249-253.
- Pieterse, C.M.J. and van Loon, L.C.** (1999). Salicylic Acid-Independent Plant Defence Pathways. *Trends in Plant Science* 4:52-58.
- Price, G.D.; Caemmerer, S.; Evans, J.R.; Yu, J.-W.; Lloyd, J.; Oja, V.; Kell, P.; Harrison, K.; Gallagher, A. and Badger, M.R.** (1994). Specific Reduction of Chloroplast Carbonic Anhydrase Activity by Antisense Rna in Transgenic

- Tobacco Plants Has a Minor Effect on Photosynthetic Co₂ Assimilation. *Planta* 193:331-340.
- Price, G.D.; Evans, J.R.; von Caemmerer, S.; Yu, J.W. and Badger, M.R.** (1995). Specific Reduction of Chloroplast Glyceraldehyde-3-Phosphate Dehydrogenase Activity by Antisense Rna Reduces Co₂ Assimilation Via a Reduction in Ribulose Bisphosphate Regeneration in Transgenic Tobacco Plants. *Planta* 195:369-378.
- Prigge, M.J. and Clark, S.E.** (2006). Evolution of the Class Iii Hd-Zip Gene Family in Land Plants. *Evolution and Development* 8:350-361.
- Quail, P.H.** (2002). Phytochrome Photosensory Signalling Networks. *Nature Reviews in Molecular and Cellular Biology* 3:85-93.
- Quick, W.P.; Schurr, U.; Scheibe, R.; Schulze, E.D.; Rodermeil, S.R.; Bogorad, L. and Stitt, M.** (1991). Decreased Ribulose-1,5-Bisphosphate Carboxylase-Oxygenase in Transgenic Tobacco Transformed with "Antisense" Rbcs. *Planta* 183:542-554.
- Reymond, P. and Farmer, E.E.** (1998). Jasmonate and Salicylate as Global Signals for Defense Gene Expression. *Current Opinion in Plant Biology* 1:404-411.
- Reymond, P.; Weber, H.; Damond, M. and Farmer, E.E.** (2000). Differential Gene Expression in Response to Mechanical Wounding and Insect Feeding in Arabidopsis. *Plant Cell* 12:707-720.
- Reymond, P.; Bodenhausen, N.; Van Poecke, R.M.P.; Krishnamurthy, V.; Dicke, M. and Farmer, E.E.** (2004). A Conserved Transcript Pattern in Response to a Specialist and a Generalist Herbivore. *Plant Cell* 16:3132-3147.
- Riechmann, J.L.; Heard, J.; Martin, G.; Reuber, L.; Jiang, C.; Keddie, J.; Adam, L.; Pineda, O.; Ratcliffe, O.J.; Samaha, R.R.; Creelman, R.; Pilgrim, M.; Broun, P.; Zhang, J.Z.; Ghandehari, D.; Sherman, B.K. and Yu, G.** (2000). Arabidopsis Transcription Factors: Genome-Wide Comparative Analysis among Eukaryotes. *Science* 290:2105-2110.
- Riov, J. and Yang, S.F.** (1982). Effects of Exogenous Ethylene on Ethylene Production in Citrus Leaf Tissue. *Plant Physiology* 70:136-141.
- Rivero, R.M.; Kojima, M.; Gepstein, A.; Sakakibara, H.; Mittler, R.; Gepstein, S. and Blumwald, E.** (2007). Delayed Leaf Senescence Induces Extreme Drought Tolerance in a Flowering Plant. *Proceedings of the National Academy of Sciences (U.S.A.)* 104:19631-19636.
- Rojo, E.; Leon, J. and Sanchez-Serrano, J.J.** (1999). Cross-Talk between Wound Signalling Pathways Determines Local Versus Systemic Gene Expression in Arabidopsis Thaliana. *Plant Journal* 20:135-142.
- Rombauts, S.; Dehais, P.; Van Montagu, M. and Rouze, P.** (1999). Plantcare, a Plant Cis-Acting Regulatory Element Database. *Nucleic Acids Research* 27:295-296.
- Rottmann, W.H.; Peter, G.F.; Oeller, P.W.; Keller, J.A.; Shen, N.F.; Nagy, B.P.; Taylor, L.P.; Campbell, A.D. and Theologis, A.** (1991). 1-Aminocyclopropane-1-Carboxylate Synthase in Tomato Is Encoded by a Multigene Family Whose Transcription Is Induced During Fruit and Floral Senescence. *Journal of Molecular Biology* 222:937-961.

- Ruzicka, K.; Ljung, K.; Vanneste, S.; Podhorska, R.; Beeckman, T.; Friml, J. and Benkova, E.** (2007). Ethylene Regulates Root Growth through Effects on Auxin Biosynthesis and Transport-Dependent Auxin Distribution. *Plant Cell* 19:2197-2212.
- Sakamoto, H.; Maruyama, K.; Sakuma, Y.; Meshi, T.; Iwabuchi, M.; Shinozaki, K. and Yamaguchi-Shinozaki, K.** (2004). Arabidopsis Cys2/His2-Type Zinc-Finger Proteins Function as Transcription Repressors under Drought, Cold, and High-Salinity Stress Conditions. *Plant Physiology* 136:2734-2746.
- Salinger, M.; Sivakumar, M. and Motha, R.** (2005). Reducing Vulnerability of Agriculture and Forestry to Climate Variability and Change: Workshop Summary and Recommendations. *Climatic Change* 70:341-362.
- Sasaki, Y.; Asamizu, E.; Shibata, D.; Nakamura, Y.; Kaneko, T.; Awai, K.; Amagai, M.; Kuwata, C.; Tsugane, T.; Masuda, T.; Shimada, H.; Takamiya, K.-i.; Ohta, H. and Tabata, S.** (2001). Monitoring of Methyl Jasmonate-Responsive Genes in Arabidopsis by Cdna Macroarray: Self-Activation of Jasmonic Acid Biosynthesis and Crosstalk with Other Phytohormone Signaling Pathways. *DNA Research* 8:153-161.
- Sato, T. and Theologis, A.** (1989). Cloning the Mrna Encoding 1-Aminocyclopropane-1-Carboxylate Synthase, the Key Enzyme for Ethylene Biosynthesis in Plants. *Proceedings of the National Academy of Sciences (U.S.A.)* 86:6621-6625.
- Satoh, S. and Esashi, Y.** (1980). {Alpha}-Aminoisobutyric Acid : A Probable Competitive Inhibitor of Conversion of 1-Aminocyclopropane-1-Carboxylic Acid to Ethylene. *Plant and Cell Physiology* 21:939-949.
- Schaller, G.E.** (2007). Ethylene Action in Plants. *Annals of Botany* 99:561-.
- Schena, M. and Davis, R.W.** (1992). Hd-Zip Proteins: Members of an Arabidopsis Homeodomain Protein Superfamily. *Proceedings of the National Academy of Sciences (U.S.A.)* 89:3894-3898.
- Schena, M.; Shalon, D.; Davis, R.W. and Brown, P.O.** (1995). Quantitative Monitoring of Gene Expression Patterns with a Complementary DNA Microarray. *Science* 270:467-470.
- Schilmiller, A.L. and Howe, G.A.** (2005). Systemic Signaling in the Wound Response. *Current Opinion in Plant Biology* 8:369-377.
- Schmelz, E.A.; Alborn, H.T. and Tumlinson, J.H.** (2003). Synergistic Interactions between Volicitin, Jasmonic Acid and Ethylene Mediate Insect-Induced Volatile Emission in Zea Mays. *Physiologia Plantarum* 117:403-412.
- Schmidt, H.A.; Strimmer, K.; Vingron, M. and von Haeseler, A.** (2002). Tree-Puzzle: Maximum Likelihood Phylogenetic Analysis Using Quartets and Parallel Computing. *Bioinformatics* 18:502-504.
- Schnee, C.; Kollner, T.G.; Held, M.; Turlings, T.C.J.; Gershenzon, J. and Degenhardt, J.** (2006). The Products of a Single Maize Sesquiterpene Synthase Form a Volatile Defense Signal That Attracts Natural Enemies of Maize Herbivores. *Proceedings of the National Academy of Sciences (U.S.A.)* 103:1129-1134.
- Schnepf, E.; Crickmore, N.; Van Rie, J.; Lereclus, D.; Baum, J.; Feitelson, J.;**

- Zeigler, D.R. and Dean, D.H.** (1998). Bacillus Thuringiensis and Its Pesticidal Crystal Proteins. *Microbiology and Molecular Biology Reviews* 62:775-806.
- Schultz, J.C.** (2002). Shared Signals and the Potential for Phylogenetic Espionage between Plants and Animals. *Integr. Comparative Biology* 42:454-462.
- Sessa, G.; Morelli, G. and Ruberti, I.** (1993). The Athb-1 and -2 Hd-Zip Domains Homodimerize Forming Complexes of Different DNA Binding Specificities. *EMBO Journal* 12:3507-3517.
- Sessa, G.; Carabelli, M.; Sassi, M.; Ciolfi, A.; Possenti, M.; Mittempergher, F.; Becker, J.; Morelli, G. and Ruberti, I.** (2005). A Dynamic Balance between Gene Activation and Repression Regulates the Shade Avoidance Response in Arabidopsis. *Genes and Development* 19:2811-2815.
- Sharp, R.E.** (2002). Interaction with Ethylene: Changing Views on the Role of Abscisic Acid in Root and Shoot Growth Responses to Water Stress. *Plant Cell and Environment* 25:211-222.
- Sharp, R.E. and LeNoble, M.E.** (2002). Aba, Ethylene and the Control of Shoot and Root Growth under Water Stress. *Journal of Experimental Botany* 53:33-37.
- Shinozaki, K.; Yamaguchi-Shinozaki, K. and Seki, M.** (2003). Regulatory Network of Gene Expression in the Drought and Cold Stress Responses. *Current Opinion in Plant Biology* 6:410-417.
- Shiojiri, K.; Kishimoto, K.; Ozawa, R.; Kugimiya, S.; Urashimo, S.; Arimura, G.; Horiuchi, J.; Nishioka, T.; Matsui, K. and Takabayashi, J.** (2006). Changing Green Leaf Volatile Biosynthesis in Plants: An Approach for Improving Plant Resistance against Both Herbivores and Pathogens. *Proceedings of the National Academy of Sciences (U.S.A.)* 103:16672-16676.
- Shou, H.; Bordallo, P. and Wang, K.** (2004). Expression of the Nicotiana Protein Kinase (Npk1) Enhanced Drought Tolerance in Transgenic Maize. *Journal of Experimental Botany* 55:1013-1019.
- Silverthorne, J. and Tobin, E.M.** (1984). Demonstration of Transcriptional Regulation of Specific Genes by Phytochrome Action. *Proceedings of the National Academy of Sciences (U.S.A.)* 81:1112-1116.
- Sisler, E.C.; Blankenships, S.M. and Guest, M.** (1990). Competition of Cyclooctenes and Cyclooctadienes for Ethylene Binding and Activity in Plants. *Plant Growth Regulation* 9:157-164.
- Söderman, E.; Mattsson, J.; Svenson, M.; Borkird, C. and Engstrom, P.** (1994). Expression Patterns of Novel Genes Encoding Homeodomain Leucine-Zipper Proteins in Arabidopsis Thaliana. *Plant Molecular Biology* 26:145-154.
- Söderman, E.; Mattsson, J. and Engstrom, P.** (1996). The Arabidopsis Homeobox Gene Athb-7 Is Induced by Water Deficit and by Abscisic Acid. *Plant Journal* 10:375-381.
- Söderman, E.; Hjellström, M.; Fahleson, J. and Engström, P.** (1999). The Hd-Zip Gene Athb6 in Arabidopsis Is Expressed in Developing Leaves, Roots and Carpels and up-Regulated by Water Deficit Conditions. *Plant Molecular Biology* 40:1073-1083.
- Stepanova, A.N.; Yun, J.; Likhacheva, A.V. and Alonso, J.M.** (2007). Multilevel

- Interactions between Ethylene and Auxin in Arabidopsis Roots. *Plant Cell* 19:2169-2185.
- Stintzi, A.; Weber, H.; Reymond, P.; Browse, J. and Farmer, E.E.** (2001). Plant Defense in the Absence of Jasmonic Acid: The Role of Cyclopentenones. *Proceedings of the National Academy of Sciences (U.S.A.)* 98:12837-12842.
- Stotz, H.U.; Pittendrigh, B.R.; Kroymann, J.; Weniger, K.; Fritsche, J.; Bauke, A. and Mitchell-Olds, T.** (2000). Induced Plant Defense Responses against Chewing Insects. Ethylene Signaling Reduces Resistance of Arabidopsis against Egyptian Cotton Worm but Not Diamondback Moth. *Plant Physiology* 124:1007-1018.
- Taiz, L. and Zeiger, E.** (2006). *Plant Physiology*. (Sinauer Associates Inc., Publishers).
- Tan, Q.K. and Irish, V.F.** (2006). The Arabidopsis Zinc Finger-Homeodomain Genes Encode Proteins with Unique Biochemical Properties That Are Coordinately Expressed During Floral Development. *Plant Physiology* 140:1095-1108.
- Tanimoto, M.; Roberts, K. and Dolan, L.** (1995). Ethylene Is a Positive Regulator of Root Hair Development in Arabidopsis Thaliana. *Plant Journal* 8:943-948.
- Thareau, V.; Dehais, P.; Serizet, C.; Hilson, P.; Rouze, P. and Aubourg, S.** (2003). Automatic Design of Gene-Specific Sequence Tags for Genome-Wide Functional Studies. *Bioinformatics* 19:2191-2198.
- Theologis, A.** (1992). One Rotten Apple Spoils the Whole Bushel: The Role of Ethylene in Fruit Ripening. *Cell* 70:181-184.
- Thimm, O.; Blasing, O.; Gibon, Y.; Nagel, A.; Meyer, S.; Kruger, P.; Selbig, J.; Muller, L.A.; Rhee, S.Y. and Stitt, M.** (2004). Mapman: A User-Driven Tool to Display Genomics Data Sets onto Diagrams of Metabolic Pathways and Other Biological Processes. *Plant Journal* 37:914-939.
- Thomma, B.P.H.J.; Eggermont, K.; Penninckx, I.A.M.A.; Mauch-Mani, B.; Vogelsang, R.; Cammue, B.P.A. and Broekaert, W.F.** (1998). Separate Jasmonate-Dependent and Salicylate-Dependent Defense-Response Pathways in Arabidopsis Are Essential for Resistance to Distinct Microbial Pathogens. *Proceedings of the National Academy of Sciences (U.S.A.)* 95:15107-15111.
- Thompson, W.F. and White, M.J.** (1991). Physiological and Molecular Studies of Light-Regulated Nuclear Genes in Higher Plants. Annual Reviews in *Plant Physiology and Plant Molecular Biology* 42:423-466.
- Tobin, E.M. and Silverthorne, J.** (1985). Light Regulation of Gene Expression in Higher Plants. Annual Reviews in *Plant Physiology* 36:569-593.
- Tron, A.E.; Welchen, E. and Gonzalez, D.H.** (2004). Engineering the Loop Region of a Homeodomain-Leucine Zipper Protein Promotes Efficient Binding to a Monomeric DNA Binding Site. *Biochemistry* 43:15845-15851.
- Tuominen, H.; Overmyer, K.; Keinanen, M.; Kollist, H. and Kangasjarvi, J.** (2004). Mutual Antagonism of Ethylene and Jasmonic Acid Regulates Ozone-Induced Spreading Cell Death in Arabidopsis. *Plant Journal* 39:59-69.
- Turner, J.G.; Ellis, C. and Devoto, A.** (2002). The Jasmonate Signal Pathway. *Plant Cell* 14:S153-164.
- Umezawa, T.; Yoshida, R.; Maruyama, K.; Yamaguchi-Shinozaki, K. and**

- Shinozaki, K.** (2004). Srk2c, a Snf1-Related Protein Kinase 2, Improves Drought Tolerance by Controlling Stress-Responsive Gene Expression in Arabidopsis Thaliana. *Proceedings of the National Academy of Sciences (U.S.A.)* 101:17306-17311.
- van Camp, W.; van Montagu, M. and Inzé, D.** (1998). H₂O₂ and No: Redox Signals in Disease Resistance. *Trends in Plant Science* 3:330-334.
- van Dam, N.M.; Horn, M.; Mares, M. and Baldwin, I.T.** (2001). Ontogeny Constrains Systemic Protease Inhibitor Response in Nicotiana Attenuata. *Journal of Chemical Ecology* 27:547-568.
- van Doorn, W.G. and Stead, A.D.** (1997). Abscission of Flowers and Floral Parts. *Journal of Experimental Botany* 48:821-837.
- Vollbrecht, E.; Veit, B.; Sinha, N. and Hake, S.** (1991). The Developmental Gene Knotted-1 Is a Member of a Maize Homeobox Gene Family. *Nature* 350:241-243.
- von Dahl, C.C.; Winz, R.A.; Halitschke, R.; Kuhnemann, F.; Gase, K. and Baldwin, I.T.** (2007). Tuning the Herbivore-Induced Ethylene Burst: The Role of Transcript Accumulation and Ethylene Perception in Nicotiana Attenuata. *Plant Journal* 51:293-307.
- Walling, L.L.** (2000). The Myriad Plant Responses to Herbivores. *Journal of Plant Growth Regulation* 19:195-216.
- Wang, S.Y.** (1999). Methyl Jasmonate Reduces Water Stress in Strawberry. *Journal of Plant Growth Regulation* 18:127-134.
- Wang, K.L.; Li, H. and Ecker, J.R.** (2002). Ethylene Biosynthesis and Signaling Networks. *Plant Cell* 14:131-151.
- Wang, H. and Deng, X.W.** (2002). Arabidopsis Fhy3 Defines a Key Phytochrome a Signaling Component Directly Interacting with Its Homologous Partner Far1. *EMBO Journal* 21:1339-1349.
- Wang, Y.; Henriksson, E.; Soderman, E.; Henriksson, K.N.; Sundberg, E. and Engstrom, P.** (2003). The Arabidopsis Homeobox Gene, Athb16, Regulates Leaf Development and the Sensitivity to Photoperiod in Arabidopsis. *Developmental Biology* 264:228-239.
- Ward, J.M.; Cufre, C.A.; Denzel, M.A. and Neff, M.M.** (2005). The Dof Transcription Factor Obp3 Modulates Phytochrome and Cryptochrome Signaling in Arabidopsis. *Plant Cell* 17:475-485.
- Wasternack, C.** (2007). Jasmonates: An Update on Biosynthesis, Signal Transduction and Action in Plant Stress Response, Growth and Development. *Annals of Botany* 100:681-697.
- Weidhase, R.A.; Kramell, H.M.; Lehmann, J.; Liebisch, H.W.; Lerbs, W. and Parthier, B.** (1987). Methyljasmonate-Induced Changes in the Polypeptide Pattern of Senescing Barley Leaf Segments. *Plant Science* 51:177-186.
- Wesley, S.V.; Helliwell, C.A.; Smith, N.A.; Wang, M.B.; Rouse, D.T.; Liu, Q.; Gooding, P.S.; Singh, S.P.; Abbott, D.; Stoutjesdijk, P.A.; Robinson, S.P.; Gleave, A.P.; Green, A.G. and Waterhouse, P.M.** (2001). Construct Design for Efficient, Effective and High-Throughput Gene Silencing in Plants. *Plant*

Journal 27:581-590.

- Whatley, F.R.; Tagawa, K. and Arnon, D.I.** (1963). Separation of the Light and Dark Reactions in Electron Transfer During Photosynthesis. *Proceedings of the National Academy of Sciences (U.S.A.)* 49:266-270.
- Wilens, R.W.; van Rooijen, G.J.H.; Pearce, D.W.; Pharis, R.P.; Holbrook, L.A. and Moloney, M.M.** (1991). Effects of Jasmonic Acid on Embryo-Specific Processes in Brassica and Linum Oil Seeds. *Plant Physiology* 95:399-405.
- Winz, R.A. and Baldwin, I.T.** (2001). Molecular Interactions between the Specialist Herbivore *Manduca sexta* (Lepidoptera, Sphingidae) and Its Natural Host *Nicotiana attenuata*. Iv. Insect-Induced Ethylene Reduces Jasmonate-Induced Nicotine Accumulation by Regulating Putrescine N-Methyltransferase Transcripts. *Plant Physiology* 125:2189-2202.
- Xu, Y.; Chang, P.F.L.; Liu, D.; Narasimhan, M.L.; Raghothama, K.G.; Hasegawa, P.M. and Bressan, R.A.** (1994). Plant Defense Genes Are Synergistically Induced by Ethylene and Methyl Jasmonate. *Plant Cell* 6:1077-1085.
- Yang, S.F. and Hoffman, N.E.** (1984). Ethylene Biosynthesis and Its Regulation in Higher Plants. *Annu. Rev. Plant Physiology* 35:155-189.
- Yang, X.; Makaroff, C.A. and Ma, H.** (2003). The Arabidopsis Male Meocyte Death1 Gene Encodes a Phd-Finger Protein That Is Required for Male Meiosis. *Plant Cell* 15:1281-1295.
- Yanisch-Perron, C.; Vieira, J. and Messing, J.** (1985). Improved M13 Phage Cloning Vectors and Host Strains: Nucleotide Sequences of the M13mp18 and Puc19 Vectors. *Gene* 33:103-119.
- YanPing, L.; ZhenHai, H. and XueFeng, X.** (2004). Accumulation of Jasmonic Acid in Apple Seedlings under Water Stress. *Acta Horticulturae Sinica* 31:16-20.
- Young, T.E.; Meeley, R.B. and Gallie, D.R.** (2004). Acc Synthase Expression Regulates Leaf Performance and Drought Tolerance in Maize. *Plant Journal* 40:813-825.
- Yu, D.; Chen, C. and Chen, Z.** (2001). Evidence for an Important Role of Wrky DNA Binding Proteins in the Regulation of Npr1 Gene Expression. *Plant Cell* 13:1527-1540.
- Zarate, S.I.; Kempema, L.A. and Walling, L.L.** (2007). Silverleaf Whitefly Induces Salicylic Acid Defenses and Suppresses Effectual Jasmonic Acid Defenses. *Plant Physiology* 143:866-875.
- Zavala, J.A.; Patankar, A.G.; Gase, K.; Hui, D. and Baldwin, I.T.** (2004). Manipulation of Endogenous Trypsin Proteinase Inhibitor Production in *Nicotiana attenuata* Demonstrates Their Function as Antiherbivore Defenses. *Plant Physiology* 134:1181-1190.
- Zhong, G.Y. and Burns, J.K.** (2003). Profiling Ethylene-Regulated Gene Expression in Arabidopsis Thaliana by Microarray Analysis. *Plant Molecular Biology* 53:117-131.
- Zhou, D.X.** (1999). Regulatory Mechanism of Plant Gene Transcription by Gt-Elements and Gt-Factors. *Trends in Plant Science* 4:210-214.
- Zhou, C.; Zhang, L.; Duan, J.; Miki, B. and Wu, K.** (2005). Histone Deacetylase19

Is Involved in Jasmonic Acid and Ethylene Signaling of Pathogen Response in Arabidopsis. *Plant Cell* 17:1196-1204.

Zhu-Salzman, K.; Salzman, R.A.; Koiwa, H.; Murdock, L.L.; Bressan, R.A. and Hasegawa, P.M. (1998). Ethylene Negatively Regulates Local Expression of Plant Defense Lectin Genes. *Physiologia Plantarum* 104:365-372.

Zhu-Salzman, K.; Bi, J.-L. and Liu, T.-X. (2005). Molecular Strategies of Plant Defense and Insect Counter-Defense. *Insect Science* 12:3-15.