

9. BIBLIOGRAFÍA

Akingbemi, B. T.; Sottas, C. M.; Koulova, A. I.; Klinefelter, G. R., Hardy, M. P. (2004). Inhibition of testicular steroidogenesis by the xenoestrogen bisphenol A is associated with reduced pituitary luteinizing hormone secretion and decreased steroidogenic enzyme gene expression in rat Leydig cells. *Endocrinology* 145:592-603.

Al-Hiyasat, A.S.; Darmani, H.; Elbetieha, A.M. (2002). Effects of bisphenol A on adult male mouse fertility. *Eur J Oral Sci.* 110:163-167.

Al-Hiyasat, A.S.; Darmani, H.; Elbetieha, A.M. (2004). Leached components from dental composites and their effects on fertility of female mice. *Eur J Oral Sci.* 112:267-272.

Allen, E.; Doisy, E.A (1923). An ovarian hormone. Preliminary report on its localization and partial purification, and action in test animals. *JAMA* 81:819-821. En: Knobil, E., Chair, Committee on hormonally active agents in the environment. (1999). Hormonally active agents in the environment. (National Research Council). National Research Council, Washington, DC.

Allen, Y.A.P.; Scott, A.P.; Matthiessen, P.; Haworth, S.; Thain, J.E.; Feis, S. (1999). Survey of estrogenic activity in United Kingdom estuarine and coastal waters and its effects on gonadal development in the flounder *Platichthys flesus*. *Environ. Toxicol. Chem.* 18, 1791–1800.

Aloisi, A.M.; Della Seta, D.; Ceccarelli, I.; Farabollini, F. (2001). Bisphenol-A differently affects estrogen receptors-alpha in estrous-cycling and lactating female rats. *Neurosci Lett.* 310:49-52.

Andersen, H.R.; Andersson, A.M.; Arnold, S.F.; Autrup, H.; Barfoed, M.; Beresford, N.A.; Bjerregaard, P.; Christiansen, L.B.; Gissel, B.; Hummel, R.; Bonefel Jorgensen, E.; Korsgaard, B.; Le Guevel, R.; Leffers, H.; McLachlan, J.; Moller, A.; Nielsen, J.B.; Olea, N.; Oles-Karasko, A.; Pakdel, F.; Pedersen, K.L.; Perez, P.; Skakkeboek, E.; Sonnenschein, C.; Soto, A.M.; Sumpter, J.P.; Thorpe; Grandjean, P. (1999a). Comparison of shorterm estrogenicity tests for identification of hormone-disrupting chemicals. *Environ. Health Perspect.* 107:89-108.

Andersen, H.R.; Halling-Sorensen, B.; Kusk, K.O. (1999b). A parameter for detecting estrogenic exposure in the copepod *Acartia tonsa*. *Ecotoxicol. Environ. Saf.* 44:56-61.

Anthony, C.T; Skinner M.K. (1989). Cytochemical and biochemical characterization of testicular peritubular myoid cells. *Biol Reprod* 40:811-823.

Ar. A.; Rahn, H. (1985). Pores in avian eggshells: gas conductance, gas exchange and embryonic growth rate. *Respir Physiol* 61:1-20.

Ashby, J.; Tinwell,H.; Stevens,J.; Pastoor, T.; Breckenridge, C. B. (2002). The Effects of atrazine on the sexual maturation of female rats. *Regulatory Toxicology and Pharmacology* 35:468-473.

Atanassova, N.; McKinnell, C.; Walker, M.; Turner, K.J.; Fisher, J.S.; Morley, M.; Millar, M.R.; Groome, N.P.; Sharpe, R.M.; (1999). Permanent effects of neonatal estrogen

exposure in rats on reproductive hormone levels, Sertoli cell number, and the efficiency of spermatogenesis in adulthood. *Endocrinology* 140:5364-5373.

Austin, H.B. (1989). Müllerian-duct regression in the American alligator (*Alligator mississippiensis*): Its morphology and testicular induction. *J. Exp. Zool.* 251:329-338.

Austin, H.B. (1990). The effects of estradiol and testosterone on Müllerian-duct regression in the American alligator (*Alligator mississippiensis*). *Gen. Comp. Endocrinol.* 76:461-472.

Banerjee, B.D.; Hussain, Q.Z. (1986). Effects of sub-chronic endosulfan exposure on humoral and cell mediated immune responses in albino rats. *Arch. Toxicol.* 59:279-284.

Banerjee, B.D.; Hussain, Q.Z. (1987). Effects of endosulfan on humoral and cell mediated immune responses in rats. *Bull. Environ. Contam. Toxicol.* 38:435-441.

Beato, M.; Sánchez-Pacheco A. (1996). Interaction of steroid hormone receptors with the transcription initiation complex. *Endocr Rev* 17:587-609.

Beldoménico, P.M.; Rey, F.; Prado, W.S.; Villarreal, J.C.; Muñoz-de-Toro, M.; Luque, E.H. (2007). *In ovum* exposure to pesticides increases the egg weight loss and decreases hatchlings weight of *Caiman latirostris* (Crocodylia: Alligatoridae). *Ecotoxicol. Environ. Saf* doi 10.1016/j.ecoenv.2006.12.018.

Berg, C.; Halldin, K.; Brunstrom, B.; Brandt, I. (1998). Methods for studying xenoestrogenic effects in birds. *Toxicol Lett.*;102-103:671-676.

Bergeron, J.M.; Crews, D.; McLachlan, J.A. (1994). PCBs as environmental estrogens: turtle sex determination as a biomarker of environmental contamination. *Environ. Health Perspect.* 102:780-781.

Bern, H.A. (1992). The fragile fetus. En: Colborn T, Clement C, eds. Chemically induced alterations in sexual and functional development: the wildlife/human connection. Princeton NJ: Princeton Scientific. 9-15.

Bisson, M.; Hontela, A. (2002). Cytotoxic and endocrine-disrupting potential of atrazine, diazinon, endosulfan, and mancozeb in adrenocortical steroidogenic Cells of rainbow trout exposed *in vitro*. *Toxicol. Appl. Pharmacol.* 180, 110–117.

Bon, E.; Barbe, U.; Núñez-Rodríguez, J.; Cuisset, B.; Pelissero, C.; Sumpter, J.P.; Le Menn, F. (1997). Plasma vitellogenin levels during the annual reproductive cycle of the female rainbow trout (*Oncorhynchus mykiss*): establishment and validation of an ELISA. *Comp. Biochem. Physiol. B Biochem. Mol. Biol.* 117:75-84.

Bowman, C.J.; Kroll, K.J.; Hemmer, M.J.; Folmar, L.C.; Denslow, N.D. (2000). Estrogen-induced vitellogenin mRNA and protein in sheepshead minnow (*Cyprinodon variegatus*). *Gen Comp Endocrinol* 120:300-313.

Brasfield, S.M.; Weber, L.P.; Talent, L.G.; Janz, D.N. (2002). Dose-response and time course relationships for vitellogenin induction in male western fence lizards (*Sceloporus occidentalis*) exposed to ethinylestradiol. *Environ. Toxicol. Chem.* 21:1410–1416.

- Brion, F.; Tyler, C.R.; Palazzi, X.; Laillet, B.; Porcher, J.M.; Garric, J.; Flammarion, P. (2004). Impacts of 17 β -estradiol, including environmentally relevant concentrations, on reproduction after exposure during embryo-larval-, juvenile- and adult-life stages in zebrafish (*Danio rerio*). *Aquat Toxicol.* 68:193-217.
- Brotons, J.A.; Olea-Serrano, M.F.; Villalobos, M.; Olea, N. (1995). Xenoestrogens released from lacquer coating in food cans. *Environ. Health Perspect.* 103:608-612.
- Buhr, R.J. (1995). Incubation relative humidity effects on allantoic fluid volume and hatchability. *Poult Sci* 74:874-884.
- Burow, M.E.; Tang, Y.; Collins-Burow, B.M.; Krajewski, S.; Reed, J.C.; McLachlan, J.A.; Beckman, B.S. (1999). Effects of environmental estrogens on tumor necrosis factor alpha-mediated apoptosis in MCF-7 cells. *Carcinogenesis* 20:2057-2061.
- Calafat, A.M.; Kuklenyik, Z.; Reidy, J.A.; Caudill, S.P.; Ekong, J.; Needham, L.L. (2005). Urinary concentrations of bisphenol A and 4-nonylphenol in a human reference population. *Environ Health Perspect* 113: 391-395.
- Calamari, D. (2002) Assessment of persistent and bioaccumulating chemicals in the aquatic environment. *Toxicology* 181-182:183-186.
- Callard, I.P.; Ho, S.M. (1987). Vitellogenesis and viviparity. En: *Fundamentals of Comparative Vertebrate Endocrinology* (Chester-Jones, I., Ingleson, P.M., Phillips, J.G. eds.). Plenum, New York, 257-282.
- Campoy, C.; Jimenez, M.; Olea-Serrano, M.F.; Moreno-Frias, M.; Canabate, F.; Olea, N.; Bayes, R.; Molina-Font, J.A. (2001). Analysis of organochlorine pesticides in human milk: preliminary results. *Early Hum. Dev.* 65: S183-190.
- Carnevali, O.; Mosconi, G.; Yamamoto, K.; Kobayashi, T.; Kikuyama, S.; Polzonetti-Magni, A.M. (1992). Hormonal control of *in vitro* vitellogenin synthesis in *Rana esculenta* liver: effects of mammalian and amphibian growth hormone. *Gen. Comp. Endocrinol.* 88:406-414.
- Cheek, A.O.; Brouwer, T.H.; Carroll, S.; Manning, S.; McLachlan, J.A.; Brouwer, M. (2001). Experimental evaluation of vitellogenin as a predictive biomarker for reproductive disruption. *Environ Health Perspect* 109:681-690.
- Cheek, A.O.; King, V.W.; Burse, J.R.; Borton, D.L.; Sullivan, C.V. (2004). Bluegill (*Lepomis macrochirus*) vitellogenin: purification and enzyme-linked immunosorbent assay for detection of endocrine disruption by papermill effluent. *Comp Biochem Physiol C Toxicol Pharmacol* 137:249-260.
- Chitra, K.C.; Latchoumycandane, C.; Mathur, P.P. (2003). Induction of oxidative stress by bisphenol A in the epididymal sperm of rats. *Toxicology*. 185:119-127.
- Colborn, T.; vom Saal, F.S.; Soto, A.M. (1993). Developmental effects of endocrine-disrupting chemicals in wildlife and humans. *Environ. Health Perspect.* 101:378-84.

- Colborn, T. (1995). Pesticides--how research has succeeded and failed to translate science into policy: endocrinological effects on wildlife. Environ Health Perspect. 103:81-85.
- Connor, K.; Howell, J.; Chen, I.; Liu, H.; Sciarretta, K.; Safe, S.; Zacharewski, T. (1996). Failure of chloro-S-triazine-derived compounds to induce estrogen receptor-mediated responses in vivo and in vitro. Fundam Appl. Toxicol. 30, 93-101.
- Cooper, R.L.; Stoker, T.E.; Goldman, J.M.; Parrish, M.B.; Tyrey, L. (1996). Effect of atrazine on ovarian function in the rat. Reprod Toxicol. 10:257-264.
- Cooper, R. L.; Stoker, T. E.; Tyrey, L.; Goldman, J. M.; McElroy, W. K. (2000). Atrazine disrupts the hypothalamic control of pituitary–ovarian function. Toxicol. Sci. 53, 297–307.
- Cormier, D.A.; Daniel, F.B. (1994). Biomarkers: taking science forward. Environ. Toxicol. Chem. 13:1011-1012.
- Crain, D.A.; Guillette, L.J.; Rooney, A.A.; Pickford, D.B. (1997). Alterations in steroidogenesis in alligators (*Alligator mississippiensis*) exposed naturally and experimentally to environmental contaminants. Environ. Health Perspect. 105:528-533.
- Crain, D.A.; Guillette, L.J. (1998). Reptiles as models of contaminant-induced endocrine disruption. Anim. Reprod. Sci. 53:77-86.
- Crain, D.A.; Guillette, L.J.; Pickford, D.B.; Percival, H.F.; Woodward, A.R. (1998). Sex-steroid and thyroid hormone concentrations in juvenile alligators (*Alligator mississippiensis*) from contaminated and reference lakes in Florida. Environ Toxicol Chem. 17:446-452.
- Crain, D.A.; Spiteri, I.D.; Guillette, L.J.Jr. (1999). The functional and structural observations of the neonatal reproductive system of alligators exposed *in ovo* to atrazine, 2,4-D, or estradiol. Toxicol. Ind. Health 15:180-185.
- Crews, D.; Bull, J.J.; Wibbels, T. (1991). Estrogen and sex reversal in turtles: a dose-dependent phenomenon. Gen. Comp. Endocrinol. 81:357-364.
- Crews, D.; Willingham, E.; Skipper, J.K. (2000). Endocrine disruptors: present issues, future directions.Q. Rev. Biol. 75:243-260.
- Cunha GR, Chlungs LWK, Shannon JM, Taguchi O, Fujii H, (1983). Hormone-induced morphogenesis and growth: role of mesenchymal-epithelial interactions. Recent Prog Horm Res 39:559-598.
- Custer, T.W.; Custer, C.M.; Hines, R.K.; Stromborg, K.L.; Allen, P.D.; Melancon, M.J.; Henshel, D.S. (2001). Organochlorine contaminants and biomarker response in double-crested cormorants nesting in Green Bay and Lake Michigan, Wisconsin, USA. Arch Environ Contam Toxicol. 40:89-100.

- Damstra, T.; Barlow, S.; Bergman, A.; Kavlock, R.; Van Der Kraak, G. International programme of chemical safety. (2002). Global Assessment of the state-of-the-science of endocrine disruptors. World Health Organization.
- Danzo, B.J. (1998). The effects of environmental hormones on reproduction. *Cell. Mol. Life. Sci.* 54:1249-1264.
- Davis, D.L.; Bradlow H.L.; Wolff M.; Woodruff T.; Hoel D.G.; Anton-Culver, H. (1993). Medical hypothesis: xenoestrogens as preventable causes of breast cancer. *Environ. Health Perspect.* 101:372-377.
- De Smit, L.; Tona, K.; Bruggeman, V.; Onagbesan, O.; Hassanzadeh, M.; Arckens, L.; Decuypere, E. (2005). Comparison of three lines of broilers differing in ascites susceptibility or growth rate. 2. Egg weight loss, gas pressures, embryonic heat production, and physiological hormone levels. *Poult Sci* 84:1446-1452.
- de Solla, S.R.; Bishop, C.A.; Van der Kraak, G.; Brooks, R.J. (1998). Impact of organochlorine contamination on levels of sex hormones and external morphology of common snapping turtles (*Chelydra serpentina serpentina*) in Ontario, Canada. *Environ Health Perspect.* 106:253-260.
- Deeley, R. G.; Mullinix, D. P.; Wetekam, W.; Kronenberg, H. M.; Meyers, M.; Eldridge, J. D.; Goldberger, R. F. (1975). Vitellogenin synthesis in the avian liver. Vitellogenin is the precursor of the egg yolk phosphoproteins. *J. Biol. Chem.* 250:9060-9066
- Degen, G.H.; Bolt, H.M. (2000). Endocrine disruptors: update on xenoestrogens. *Int Arch Occup Environ Health* 73:433-41.
- Diano, M.; Le Bivic, A. (1996). Production of highly specific polyclonal antibodies using a combination of 2D electrophoresis and nitrocellulose-bound antigen. En: The protein protocols handbook. (Walker J) Humana Press, Totowa, NJ, USA, 122:703-710.
- DiGiulio, R.T.; Benson, W.H.; Sanders, B.M.; Van Veld, P.A. (1995). Aquatic Toxicology. Effects, environmental fate, and risk assessment. Biochemical mechanisms: metabolism, adaptation and toxicity. (Rand, G.M.). Taylor and Francis.
- Dodds, E.C.; Lawson, W. (1936). Synthetic oestrogenic agents without the phenanthrene nucleus. *Nature* 131:996.
- Durando, M.; Kass, L.; Piva, J.; Sonnenschein, C.; Soto, A.M.; Luque, E.H.; Muñoz-de-Toro, M. (2007). Prenatal bisphenol A exposure induces preneoplastic lesions in the mammary gland in Wistar rats. *Environ Health Perspect.* 115:80-86.

- Duggan, A.E.; Callard, I.P. (2003). Lipids and lipid-transporting proteins in *Chrysemys picta*: role of gonadal steroids and growth hormone in intact and hypophysectomized turtles. *Gen. Comp. Endocrinol.* 131:176-184.
- Dutta, H.M.; Meijer, H.J. (2003). Sublethal effects of diazinon on the structure of the testis of bluegill, *Lepomis macrochirus*: a microscopic analysis. *Environ Pollut.* 125:355-360.
- Dutta, H.M.; Misquitta, D.; Khan, S. (2006). The effects of endosulfan on the testes of bluegill fish, *Lepomis macrochirus*: A histopathological study. *Arch. Environ. Contam. Toxicol.* 51: 149–156.
- Dym, M.; Fawcett, D.W. (1970). The blood-testis barrier in the rat and the physiological compartmentation of the seminiferous epithelium. *Biol Reprod.* 3:308-326.
- Edgren, R.A.; Peterson, D.L.; Jones, R.C.; Nagra, C.L.; Smith, H.; Hughes, G.A. (1966). Biological effects of synthetic gonanes. *Recent Prog Horm Res.* 22:305-349.
- Eldridge, J.C.; Wetzel, L.T.; Stevens, J.T.; Simpkins, J.W. (1999). The mammary tumor response in triazine-treated female rats: A threshold-mediated interaction with strain and species-specific reproductive senescence. *Steroids* 64:672-678
- Elsey, R.M.; Wink, C.S. (1986). The effects of estradiol on plasma calcium and femoral bone structure in alligators (*Alligator mississippiensis*). *Comp Biochem Physiol A.*84:107-110.
- European Commission (1996) European workshop on the impact of endocrine disruptors on human health and wildlife. Weybridge, UK, Report No. EUR 17549, Environment and Climate Research Programme, DG XXI. Brussels, Belgium: European Commission.
- Evans, R.M. (1988). The steroid and thyroid hormone receptor superfamily: *Science* 240: 889-895.
- Fang, H.; Tong, W.; Perkins, R.; Soto, A.M.; Precht, N.V.; Sheehan, D.M. (2000). Quantitative comparisons of in vitro assays for estrogenic activities. *Environ. Health Perspect.* 108:723-729.
- Farabollini, F.; Porrini, S.; Della Seta, D.; Bianchi, F.; Densi-Fulgheri, F. (2002). Effects of perinatal exposure to bisphenol A on sociosexual behavior of female and male rats. *Environ Health Perspect.* 110:409-414.
- Feist, G.W.; Webb, M.A.; Gundersen, D.T.; Foster, E.P.; Schreck, C.B.; Maule A.G.; Fitzpatrick, M.S. (2005). Evidence of detrimental effects of environmental contaminants on growth and reproductive physiology of white sturgeon in impounded areas of the Columbia River. *Environ Health Perspect.* 113:1675-1682.

Fentress, J.A.; Steele, S.L.; Bart, H.L. Jr; Cheek, A.O. (2006). Reproductive disruption in wild longear sunfish (*Lepomis megalotis*) exposed to kraft mill effluent. Environ Health Perspect. 114:40-45.

Ferguson, M.W.J.; Joanen, T. (1983). Temperature dependent sex determination in *Alligator mississippiensis*. J. Zool. Lond. 200:143-177.

Ferguson, M.W.J. (1985). Biology of the Reptilia. Volumen 14: Development A. Reproductive biology and embryology of the crocodilians. (Gans, C.; Billet, F; Maderson, P.F.A.). Wiley, New York. 329-491.

Fiorini, C.; Tilloy-Ellul, T.; Chevalier, S.; Charuel, C.; Pointis, G. (2004). Sertoli cell junctional proteins as early targets for different classes of reproductive toxicants. Reprod Toxicol 18:413-421.

Folmar, L.C.; Denslow, N.D.; Rao, V.; Chow, M.; Crain, D.A.; Enblom, J.; Marcino, J.; Guillette, L.J., Jr. (1996). Vitellogenin induction and reduced serum testosterone concentration in feral male carp (*Cyprinus carpio*) captured near a major metropolitan sewage treatment plant. Environ. Health Perspect. 104:1096-1101.

Folmar, L.C.; Denslow, N.D.; Rao, B.; Chow, M.; Crain, D.A.; Enblom, J.; Marcino, J.; Guillette, L.J. (1997). Vitellogenin induction and reduced serum testosterone concentrations in feral male carp (*Cyprinus carpio*) captured near a major metropolitan sewage treatment plant. Environ. Health Perspect. 104:1096-1101.

Folmar, L.C.; Denslow, N.D.; Kroll, K.; Orlando, E.F.; Enblom, J.; Marcino, J.; Metcalfe, C.; Guillette, L.J., Jr. (2001). Altered serum sex steroids and vitellogenin induction in walleye (*Stizostedion vitreum*) collected near a major metropolitan sewage treatment plant. Arch Environ Contam Toxicol 40:392-398.

Foran, C.M.; Peterson, B.N.; Benson, W.H. (2002) Transgenerational and developmental exposure of Japanese medaka (*Oryzias latipes*) to ethinylestradiol results in endocrine and reproductive differences in the response to ethinylestradiol as adults. Toxicol Sci 68:389-402.

Fox, G. A. (2001). Wildlife as sentinels of human health effects in the great lakes-St. Lawrence basin. Environ. Health Perspect 109:854-861.

Freiberg, M.A.; Carvalho, A.L. (1985). El yacaré sudamericano *Caiman latirostris* (Daudin). Physis (Buenos Aires) 25:351-360.

Fry, D.M.; Toone, C.K. (1981). DDT-induced feminization of gull embryos. Science 213:922-924.

Funabashi, T.; Sano, A.; Mitsushima, D.; Kimura, F. (2003). Bisphenol A increases progesterone receptor immunoreactivity in the hypothalamus in a dose-dependent manner and affects sexual behaviour in adult ovariectomized rats. J Neuroendocrinol. 15:134-140.

Funabashi, T.; Nakamura, T.J.; Kimura, F. (2004). p-Nonylphenol, 4-tert-octylphenol and bisphenol A increase the expression of progesterone receptor mRNA in the frontal cortex of adult ovariectomized rats. J Neuroendocrinol 16:99-104.

- Gaido, K.W.; Leonard L.S.; Lovell S.; Gould, J.C.; Babai, D.; Portier C.J. (1997). Evaluation of chemical with endocrine modulating activity in a yeast-based steroid hormone receptor gene transcription assay. *Toxicol. Appl. Pharmacol.* 143: 205-212.
- Gavrieli, Y.; Sherman, Y.; Ben-Sasson. S.A. (1992). Identification of programmed death *in situ* via specific labeling of nuclear DNA fragmentation. *J Cell Biol.* 119:493-501.
- Goebel, H.; Gorbach, S.; Knauf, W.; Rimpau, R.H.; Huttenbach, H. (1982). Properties, effects, residues, and analytics of the insecticide endosulfan. *Residue Rev.* 83:1-165.
- Gormley, K.L.; Teather, K.L. (2003). Developmental, behavioral, and reproductive effects experienced by Japanese medaka (*Oryzias latipes*) in response to short-term exposure to endosulfan. *Ecotoxicol Environ Saf* 54:330-338.
- Green, M.R.; Pastewka, J.V.; Peacock, A.C. (1973) Differential staining of phosphoproteins on polyacrylamide gels with a cationic cabocyanine dye. *Anal Biochem* 56:43-51.
- Grigg, G.C. (1993). Wildlife management: crocodiles and alligators. Water relations of crocodilian eggs: management considerations. (Webb, J.W.; Manolis, S.C.; Whitehead, P.J.). Surrey Beatty And Sons Pty Lt in association with the Conservation Commission of the Northern Territory. 499-502.
- Griswold, M.D. (1998). The central role of Sertoli cells in spermatogenesis. *Semin Cell Dev Biol.* 9:411-416.
- Guillette, L.J.; Gross, T.S.; Masson, G.R.; Matter, J.M.; Percival, H.F.; Woodward, A.R. (1994). Developmental abnormalities of the gonad and abnormal sex hormone concentrations in juvenile alligators from contaminated and control lakes in Florida. *Environ. Health Perspect.* 102:680-688.
- Guillette, L.J.; Crain, D. A.; Rooney, A.A.; Pickford, D.B. (1995a). Organization versus activation-the role of endocrine-disrupting contaminants (EDCs) during embryonic-development in wildlife. *Environ. Health Perspect.* 103:157-164.
- Guillette, L.J.; Gross, T.S.; Gross, D.; Rooney, A.A.; Percival, H.F. (1995b). Gonadal steroidogenesis *in vitro* from juvenile alligators obtained from contaminated and control lakes. *Environ. Health Perspect.* 103:31-36.
- Guillette, L.J.; Crain, D.A. (1996). Endocrine-disrupting contaminants and reproductive abnormalities in reptiles. *Comments Toxicology* 5:381-399.
- Guillette, L.J.; Woodward, A.R.; Crain, D.A.; Masson, G.R.; Palmer, B.D.; Cox, M.C.; You-Xiang, Q.; Orlando, E.F. (1997). The reproductive cycle of the female

American alligator (*Alligator mississippiensis*). Gen. Comp. Endocrinol. 108:87-101.

Guillette, L.J. Jr.; Brock, J.W.; Rooney, A.A.; Woodward, A.R. (1999a). Serum concentrations of various environmental contaminants and their relationship to sex steroid concentrations and phallus size in juvenile American alligators. Arch Environ Contam Toxicol. 36:447-455.

Guillette, L.J.; Rooney, A.A.; Crain, D.A.; Orlando, E.F. (1999b). Environmental toxicology and risk assessment: standardization of biomarkers for endocrine disruption and environmental assessment. Steroids hormones as biomarkers of endocrine disruption in wildlife. (Henshel, D.S.; Black, M.C.; Harrass, M.C.) American Society for Testing and Materials. West Conshohocken, P.A. 254-270.

Guillette, L.J.; Crain, D.A.; Gunderson, M.P.; Kools, S.; Milnes, M.R.; Orlando, E.F.; Rooney, A.A.; Woodward, A.R. (2000). Alligator and endocrine disrupting contaminants: a current perspective. Am. Zool 40: 438-452.

Guillette, L.J.; Gunderson, M.P. (2001). Alterations in development of reproductive and endocrine systems in wildlife populations exposed to endocrine-disrupting contaminants. Reproduction 122:857-864.

Gunderson, M.P.; LeBlanc, G.A.; Guillette, L.J. Jr. (2001). Alterations in sexually dimorphic biotransformation of testosterone in juvenile American alligators (*Alligator mississippiensis*) from contaminated lakes. Environ Health Perspect. 109:1257-1264.

Gunderson, M.P.; Breza Jr., T.S.; Guillette Jr., L.J. (2003). Lack of xenoestrogen induced vitellogenin in wild juvenile American alligators (*Alligator mississippiensis*) from Lake Okeechobee and the Everglades. Environ. Sci. 10, 193–204.

Gunderson, M.P.; Bermudez, D.S.; Bryan, T.A.; Degala, S.; Edwards, T.M.; Kools, S.A.; Milnes, M.R.; Woodward, A.R.; Guillette, L.J. Jr. (2004). Variation in sex steroids and phallus size in juvenile American alligators (*Alligator mississippiensis*) collected from 3 sites within the Kissimmee-Everglades drainage in Florida (USA). Chemosphere. 56:335-345.

Gunkel, G.; Streit, B. (1980). Mechanisms of bioaccumulation of a herbicide (Atrazine, s-Triazine in a freshwater mollusc (*Ancylus fluviatilis*) and a fish (*Coregonus fera*), Water Res. 14:1573-1584.

Gupta, C. (2000). Reproductive malformation of the male offspring following maternal exposure to estrogenic chemicals. Proc. Soc. Exp. Biol. Med. 224:61-68.

Hadley, M.A.; Byers, S.W.; Suarez-Quian, C.A.; Kleinman, H.K.; Dym, M. (1985). Extracellular matrix regulates Sertoli cell differentiation, testicular cord formation, and germ cell development in vitro. J Cell Biol. 101:1511-1522.

- Halm, S.; Pounds, N.; Maddix, S.; Rand-Weaver, M.; Sumpter, J. P.; Hutchinson, T. H.; Tyler, C. R. (2002). Exposure to exogenous 17beta-oestradiol disrupts p450aromB mRNA expression in the brain and gonad of adult fathead minnows (*Pimephales promelas*). *Aquat Toxicol.* 60:285-299.
- Harlow, E.; Lane D. (1988). Antibodies. A laboratory manual. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, USA.
- Hashimoto, S.; Bessho, H.; Hara, A.; Nakamura, M.; Iguchi, T.; Fujita, K. (2000). Elevated serum vitellogenin levels and gonadal abnormalities in wild male flounder (*Pleuronectes yokohamae*) from Tokyo Bay, Japan. *Mar Environ Res.* 49:37-53.
- Hassan, S.M.; Siam, A.A.; Mady, M.E.; Cartwright, A.L. (2004). Incubation temperature for ostrich (*Struthio camelus*) eggs. *Poult Sci* 83:495-499.
- Hayes, T.; Collins, A.; Lee, M.; Mendoza, M.; Noriega, N.; Stuart, A.A.; Vonk, A. (2002). Hermaphroditic, demasculinized frogs after exposure to the herbicide atrazine at low ecologically relevant doses. *PNAS* 99:5476-5480.
- Hayes, T.; Haston, K.; Tsui, M.; Hoang, A.; Haefele, C.; Vonk, A. (2003). Atrazine-induced hermaphroditism at 0.1 ppb in American leopard frogs (*Rana pipiens*): Laboratory and field evidence. *Environ Health Perspect* 111:568-575.
- Heck, J.; MacKenzie, D.S.; Rostal, D.; Medler, K.; Owens, D. (1997). Estrogen induction of plasma vitellogenin in the Kemp's ridley sea turtle (*Lepidochelys kempi*). *Gen. Comp. Endocrinol.* 107, 280-288.
- Hecker, M.; Kim, W. J.; Park, J. W.; Murphy, M. B.; Villeneuve, D.; Coady, K. K.; Jones, P. D.; Solomon, K. R.; Van Der Kraak, G.; Carr, J. A.; Smith, E. E.; du Preez, L.; Kendall, R. J.; Giesy, J. P.; Syngenta Crop Protection Inc. (2005a). Plasma concentrations of estradiol and testosterone, gonadal aromatase activity and ultrastructure of the testis in *Xenopus laevis* exposed to estradiol or atrazine. *Aquat Toxicol.* 72:383-396.
- Hecker, M.; Park, J. W.; Murphy, M. B.; Jones, P. D.; Solomon, K. R.; Van Der Kraak, G.; Carr, J. A.; Smith, E. E.; du Preez, L.; Kendall, R. J.; Giesy, J. P. (2005b). Effects of atrazine on CYP19 gene expression and aromatase activity in testes and on plasma sex steroid concentrations of male African clawed frogs (*Xenopus laevis*). *Toxicol Sci.* 86:273-280.
- Heppell, S.A.; Denslow, N.D.; Folmar, L.C.; Sullivan, C.V. (1995). Universal assay of vitellogenin as a biomarker for environmental estrogens. *Environ. health Perspect.* 103:9-15.
- Herbst, A.L.; Ulfelder, H.; Poskanzer, D.C. (1971). Adenocarcinoma of the vagina: association of maternal stilbestrol therapy with tumor appearance in young women. *N. Engl. J. Med.* 284:878-881.

Herbst, L.H.; Siconolfi-Baez, L.; Torelli, J.H.; Klein, P.A.; Kerben, M.J.; Schumacher, I.M. (2003) Induction of vitellogenesis by estradiol-17beta and development of enzyme-linked immunosorbant assays to quantify plasma vitellogenin levels in green turtles (*Chelonia mydas*). Comp Biochem Physiol B Biochem Mol Biol. 135:551-563.

Hertz, R. (1985). The estrogen problem-retrospect and prospect. 1-11. En: Estrogen and Environment. II. Influences on development, (McLachlan, J.A). New York, Elsevier, USA.

Hiremath, M.B.; Kaliwal; B.B. (2002). Effect of endosulfan on ovarian compensatory hypertrophy in hemicastrated albino mice. Reproductive Toxicology 16:783–790

Ho, S-M. (1987). Endocrinology of vitellogenesis. En: "Hormones and Reproduction in Fishes, Amphibians and Reptiles". Norris, DO and Jones RT eds. Plenum Press. New York, 145-169.

Honma, S.; Suzuki, A.; Buchanan, D.L.; Katsu, Y.; Watanabe, H.; Iguchi, T. (2002). Low dose effect of *in utero* exposure to bisphenol A and diethylstilbestrol on female mouse reproduction. Reprod. Toxicol 16:117-122.

Howdeshell, K.L.; Hotchkiss, A.K.; Thayer, K.A.; Vandenberghe, J.G.; vom Saal, F.S. (1999). Exposure to bisphenol A advances puberty. Nature 401: 763-764.

Howdeshell, K.L.; Peterman, P.H.; Judy, B.M.; Taylor, J.A.; Orazio, C.E.; Ruhlen, R.L.; vom Saal, F.S.; Welshons W.V. (2003). Bisphenol A is released from used polycarbonate animal cages into water at room temperature. Environ. Health Perspect. 111:1180-1187.

Howe, S.R.; Borodinsky, L. (1998). Potential exposure to bisphenol A from food-contact use of polycarbonate resins. Food Addit. Contam. 15:370-375. En: Knobil, E., Chair, Committee on hormonally active agents in the environment. (1999). Hormonally active agents in the environment. (National Research Council). National Research Council, Washington, DC.

Howell, W.M.; Black, D.A.; Bortone, S.A. (1980). Abnormal expression of secondary sex characters in population of mosquitofish *Gambusia affinis holbrooki*: evidence for environmentally-induced masculinization. Copeia 4:676-681.

Hugget, R.J.; Kimerle, R.; Mehrle, P.; Bergman, H.; Dickson, K.; Fava, J.; McCarthy, J.; Parrish, R.; Dorn, P.; McFarland, V.; Lahvis, G. (1992). Biomarkers. Biochemical, physiological and histological markers of anthropogenic stress. (Hugget, R.J.; Kimerle, R.; Mehrle, P.; Bergman, H.; Dickson, K.; Fava, J.; McCarthy, J.; Parrish, R.; Dorn, P.; McFarland, V.; Lahvis, G.) Lewis, Chelsea.

- Hughes, C.L. Jr. (1988). Phytochemical mimicry of reproductive hormones and modulation of herbivore fertility by phytoestrogens. *Environ. Health Perspect.* 78:171-174.
- Hulet, R.M.; Christensen, V.L.; Bagley, L.G. (1987). Controlled egg weight loss during incubation of turkey eggs. *Poult Sci* 66:428-432.
- Hwang, U.G.; Kagawa, N.; Mugiya, Y. (2000). Aluminium and cadmium inhibit vitellogenin and its mRNA induction by estradiol-17 beta in the primary culture of hepatocytes in the rainbow trout *Oncorhynchus mykiss*. *Gen Comp Endocrinol* 119:69-76.
- Iguchi, T.; Takasugi, N. (1986a). Polyovular follicles in the ovary of immature mice exposed prenatally to diethylstilbestrol. *Anat. Embryol. (Berl.)*. 175:53-55.
- Iguchi, T.; Takasugi, N.; Bern, H.A.; Mills, K.T. (1986b). Frequent occurrence of polyovular follicles in ovaries of mice exposed neonatally to diethylstilbestrol. *Teratology* 34:29-35.
- Iguchi, T.; Fukazawa, Y.; Uesugi, Y.; Takasugi, N. (1990). Polyovular follicles in mouse ovaries exposed neonatally to diethylstilbestrol in vivo and in vitro. *Biol. Reprod.* 43:478-384.
- Iguchi, T.; Kamiya, K.; Uesugi, Y.; Sayama, K.; Takasugi, N. (1991). *In vitro* fertilization of oocytes from polyovular follicles in mouse ovaries exposed neonatally to diethylstilbestrol. *In Vivo* 5:359-363.
- Irwin, L.K.; Gray, S.; Oberdorster, E. (2001). Vitellogenin induction in painted turtle, *Chrysemys picta*, as a biomarker of exposure to environmental levels of estradiol. *Aquat Toxicol.* 55:49-60.
- Ishido, M.; Masuo, Y.; Kunimoto, M.; Oka, S.; Morita, M. (2004). Bisphenol A causes hyperactivity in the rat concomitantly with impairment of tyrosine hydroxylase immunoreactivity. *J Neurosci Res.* 76:423-433.
- Jaggi, R.B.; Felber, B.K.; Maurhofer, S.; Weber, R.; Ryffel, G.U. (1980). Four different vitellogenin proteins of *Xenopus* identified by translation in vitro. *Eur. J. Biochem.* 109, 343-347.
- Jefferson, W.N.; Couse, J.F.; Padilla-Banks, E.; Korach, K.S.; Newbold, R.R. (2002). Neonatal exposure to genistein induces estrogen receptor (ER)alpha expression and multioocyte follicles in the maturing mouse ovary: evidence for ERbeta-mediated and nonestrogenic actions. *Biol. Reprod.* 67:1285-1296.
- Jiménez, M.; Rivas, M.; Olea, F.; Olea, N. (2004). Pesticidas organoclorados en suero y tejido adiposo de mujeres del sureste español. *Ecosistemas. Revista científica y técnica de ecología y medioambiente*, 1-7.

- Jobling, S.; Reynolds, T.; White, R.; Parker, M.G.; Sumpter, J.P. (1995). A variety of environmentally persistent chemicals, including some phthalate plasticizers, are weakly estrogenic. *Environ. Health Perspect.* 103:582-587.
- Jobling, S.; Beresford, N.; Nolan, M.; Rodgers-Gray, T.; Brighty, G.C.; Sumpter, J.P.; Tyler, C.R. (2002). Altered sexual maturation and gamete production in wild roach (*Rutilus rutilus*) living in rivers that receive treated sewage effluents. *Biol Reprod.* 66:272-281.
- Jordan, V.C.; Mittal, S.; Gosden, B.; Koch, R.; Lieberman, M.E. (1985). Structure-activity relationships of estrogens. *Environm. Health Perspect.* 61:97-110.
- Junqueira, L.C.U.; Junqueira L.M. (1983). Técnicas básicas de citología e histología. Ed. Livraria Santos Com. Imp. Ltda. São Paulo, Brasil.
- Kamijima, M.; Casida, J. E. (2000). Regional modification of [³H]ethynodiolbicycloorthobenzoate binding in mouse brain GABA_A receptor by endosulfan, fipronil, and avermectin B1a. *Toxicol. Appl. Pharmacol.* 163:188-194.
- Kass, L.; Varayoud, J.; Ortega, H.; Muñoz de Toro, M.; Luque, E.H. (2000). Detection of bromodeoxyuridine in formalin-fixed tissue. DNA denaturation following microwave or enzymatic digestion pretreatment is required. *Eur. J. Histochem.* 44:185-191.
- Kass, L.; Durando, M.; Ramos, J.G.; Varayoud, J.; Powell, C.E.; Luque, E.H.; Munoz-de-Toro, M. (2004). Association of increased estrogen receptor beta2 expression with parity-induced alterations in the rat mammary gland. *J Steroid Biochem Mol Biol.* 91:29-39.
- Kawai, K.; Takehiro, N.; Nishikata, H.; Aou, S.; Takii, M.; Kubo, C. (2003). Aggressive behavior and serum testosterone concentration during the maturation process of male mice: the effects of fetal exposure to bisphenol A. *Environ. Health Perspect.* 111:175-178.
- Kime, D.E.; Nash, J.P.; Scott, A.P. (1999) Vitellogenesis as a biomarker of reproductive disruption by xenobiotics. *Aquaculture* 177:345-352.
- Kirby, M.F.; Allen, Y.T.; Dyer, R.A.; Feist, S.W.; Katsiadaki, I.; Matthiessen, P.; Scott, A.P.; Smith, A.; Stentiford, G.D.; Thain, J.E.; Thomas, K.V.; Tolhurst, L.; Waldock, M. (2004). Surveys of plasma vitellogenin and intersex in male flounder (*Platichthys flesus*) as measures of endocrine disruption by estrogenic contamination in United Kingdom estuaries: temporal trends, 1996–2001. *Environ. Toxicol. Chem.* 23, 748–758.
- Kirubagaran, R.; Joy, K.P. (1995). Changes in lipid profiles and ³²P-uptake into phosphoprotein (vitellogenin) content of the ovary and liver in the female catfish, *Clarias batrachus*, exposed to mercury. *Biomed Environ Sci* 8:35-44.

Knobil, E., Chair, Committee on hormonally active agents in the environment. (1999). Hormonally active agents in the environment. (National Research Council). National Research Council, Washington, DC.

Kornilovskaya, I.N.; Gorelaya, M.V.; Usenko, V.S.; Gerbilsky, L.V.; Berezin, V.A. (1996). Histological studies of atrazine toxicity on the thyroid gland in rats. *Biomed. Environ. Sci.* 9:60-66.

Krishnan, A. V.; Starhis, P.; Permuth, S. F.; Tokes, L.; Feldman, D.; (1993). Bisphenol-A: an estrogenic substance is released from polycarbonate flasks during autoclaving. *Endocrinology* 132:2279-2286.

Kuiper, G.G.; Lemmen, J.G.; Carlsson, B.; Corton, J.C.; Safe, S.H.; van der Saag, P.T.; van der Burg, B.; Gustafsson, J. (1998). Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor beta. *Endocrinology* 139:4252-4263.

Laabs, V; Amelung, W.; Pinto, A.A.; Wantzen, M.; da Silva, C.J.; Zech, W. (2002). Pesticides in surface water, sediment, and rainfall of the northeastern pantanal basin, Brazil. *J. Environ. Qual.* 31:1636–1648.

Lacau-Mengido, I.M.; Mejia, M.E.; Diaz-Torga, G.S.; Gonzalez Iglesias, A.; Formia, N.; Libertun, C.; Becu-Villalobos; D. (2000). Endocrine studies in ivermectin-treated heifers from birth to puberty. *J Anim Sci* 78:817-824.

LaFleur, G.J. (1999). Vitellogenins and vitellogenesis. Encyclopedia of reproduction. Volume 4. (Knobil, E. Neill JD). Academic Press. San Diego. USA. 985-994.

Lajmanovich, R.; Lorenzatti, E.; de la Sierra, P.; Marino, F.; Peltzer, P. (2002) First records of organochlorine pesticide residues in amphibians of the mesopotamic region, Argentina. *Froglog* 54.

Lance, V.A. (1989). Reproductive cycle of the American alligator. *Am Zool* 29:999-1018.

Lance, V.A.; Bogart, M.H. (1992). Disruption of ovarian development in alligator embryos treated with an aromatase inhibitor. *Gen. Comp. Endocrinol.* 86:59-71.

Lance, V.A. (2003). Alligator physiology and life history: the importance of temperature. *Exp. Gerontol.* 38:801-805.

Lance, V.A; Conley, A.J; Mapes, S.; Steven, C.; Place, A.R. (2003). Does alligator testis produce estradiol? A comparison of ovarian and testicular aromatase. *Biol Reprod.* 69:1201-1207.

Lang, J.W.; Andrews, H.V. (1994). Temperature dependent sex determination in crocodilians. *J. Exp. Zool.* 270:28-44.

Larriera, A. (1995). La conservación y el manejo de los caimanes y cocodrilos en América Latina, Vol. 1. Áreas de nidificación y momento óptimo de cosecha

de huevos de *Caiman latirostris* en Santa Fe, Argentina. (Larriera, A.; Verdade, L.). Santa Fe, Argentina. 221-232.

Laws, S. C.; Ferrell, J. M.; Stoker, T. E.; Schmid, J.; Cooper, R. L. (2000). The effects of atrazine on female wistar rats: An evaluation of the protocol for assessing pubertal development and thyroid function. *Toxicol. Sci.* 58: 366–376.

Legler, J.; Brockhof, J. L. M.; Brouwer, A.; Lanser, P. II.; Murk, A. J.; Van Der Saag, P. T.; Vethaak, A. D.; Wester, P.; Zivkovic C, D.; Van Der Burg, B. (2000). A novel *in vivo* bioassay for (xeno)estrogens using transgenic zebrafish. *Environ Sci Technol* 34:4439-4444.

Lekhkota, O.; Brehm, R.; Claus, R.; Wagner, A.; Bohle, R.M.; Bergmann, M. (2006). Cellular localization of estrogen receptor-alpha (ERalpha) and -beta (ERbeta) mRNA in the boar testis. *Histochem Cell Biol.* 125:259-264.

Levy, G.; Lutz, I.; Kruger, A.; Kloas, W. (2004). Bisphenol A induces feminization in *Xenopus laevis* tadpoles. *Environ Res.* 94:102-111.

Li, A.; Sadasivam, M.; Ding, J.L. (2003). Receptor-ligand interaction between vitellogenin receptor (VtgR) and vitellogenin (Vtg), implications on low density lipoprotein receptor and apolipoprotein B/E. The first three ligand-binding repeats of VtgR interact with the amino-terminal region of Vtg. *J Biol Chem.* 278:2799-2806.

Lutz, P.L.; Dumbar Cooper, A. (1984). The nest environment of the American Crocodile (*Crocodylus acutus*). *Copeia* 1984, 153-161.

Maekawa, M.; Kamimura, K.; Nagano, T. (1996). Peritubular myoid cells in the testis: their structure and function. *Arch Histol Cytol.* 59:1-13.

Maitre, M.I.; de la Sierra, P.; Lenardon, A.; Enrique, S.; Marino, F. (1994). Pesticide residue levels in Argentinean pasteurized milk. *Sci Total Environ.* 155:105-108.

Manolis, S. C.; Webb, G. J. W.; Dempsey, K. E.; (1987). Crocodile Egg Chemistry. En "Wildlife Management, Crocodiles and Alligators." (Webb, G. J. W.; Manolis, S. C.; Whitehead P. J.) Surrey Beatty & Sons Pty. Ltd 445-472.

Markey, C.M.; Luque, E.H.; Muñoz-de-Toro, M.M.; Sonnenschein, C.; Soto, A.M.; (2001). *In utero* exposure to bisphenol A alters the development and tissue organization of the mouse mammary gland. *Biol. Reprod.* 65:1215-1223.

Markey, C.M.; Coombs, M.A.; Sonnenschein, C.; Soto, A.M. (2003). Mammalian development in a changing environment: exposure to endocrine disruptors reveals the developmental plasticity of steroid-hormone target organs. *Evol Dev.* 5:67-75.

Markey, C.M.; Wadia, P.R.; Rubin, B.S.; Sonnenschein, C.; Soto, A.M. (2005). Long-term effects of fetal exposure to low doses of the xenoestrogen bisphenol-A in the female mouse genital tract. *Biol Reprod.* 72:1344-1351.

Martin, P.A.; De Solla, S.R.; Ewins, P. (2003). Chlorinated hydrocarbon contamination in osprey eggs and nestlings from the Canadian Great Lakes basin, 1991-1995. *Ecotoxicology* 12:209-224.

Matter, J.M.; Crain, D.A.; Sills-McMurry, C.; Pickford, D.B.; Rainwater, T.R.; Reynolds, K.D.; Rooney, A.A.; Dickerson, R.L.; Guillette, L.J.Jr.; (1998). Principles and processes for evaluating endocrine disruption in wildlife. Effects of endocrine-disrupting contaminants in reptiles: *alligators*. (Kendall R, Dickerson J, Giesy J, Suk W, eds). SETAC Press. Pensacola, Florida, USA: 267-289.

McLachlan, J.A. (2001). Environmental signaling: what embryos and evolution teach us about endocrine disrupting chemicals. *Endocr. Rev.* 22:319-341.

Menone, M.L.; Aizpun de Moreno, J.E.; Moreno, V.J.; Lanfranchi, A.L.; Metcalfe, T.L.; Metcalfe, C.D. (2000). PCBs and organochlorines in tissues of silverside (*Odontesthes bonariensis*) from a coastal lagoon in Argentina. *Arch Environ Contam Toxicol.* 38:202-208.

Meucci, V.; Arukwe, A. (2005). Detection of vitellogenin and zona radiata protein expressions in surface mucus of immature juvenile Atlantic salmon (*Salmo salar*) exposed to waterborne nonylphenol. *Aquat Toxicol.* 73:1-10.

Micucci, P.A.; Waller, T. (1995). La conservación y el manejo de los caimanes y cocodrilos en América Latina, Vol. 1. Los yacarés en Argentina: hacia un aprovechamiento sustentable. (Larriera, A.; Verdade, L.). Santa Fe, Argentina. 221-232.

Miksicek, R. J. (1995). Estrogenic flavonoids: Structural requirements for biological activity. *Proc. Soc. Exp. Biol. Med.* 208:44-50.

Mills, L. J.; Gutjahr-Gobell, R. E.; Haebler, R. A.; Horowitz, D. J.; Jayaraman, S.; Pruell, R. J.; McKinney, R. A.; Gardner, G. R.; Zaroogian, G. E. (2001). Effects of estrogenic (o,p'-DDT; octylphenol) and anti-androgenic (p,p'-DDE) chemicals on indicators of endocrine status in juvenile male summer flounder (*Paralichthys dentatus*). *Aquat Toxicol.* 52:157-176.

Milnes, M.R.; Woodward, A.R.; Rooney, A.A.; Guillette, L.J. (2002). Plasma steroid concentrations in relation to size and age in juvenile alligators from two Florida lakes. *Comp. Biochem. Physiol. A Mol. Integr. Physiol.* 131:923-930.

Milnes, M.R.; Bryan, T.A.; Medina, J.G.; Gunderson, M.P.; Guillette, L.J. Jr. (2005). Developmental alterations as a result of *in ovo* exposure to the pesticide metabolite p,p'-DDE in *Alligator mississippiensis*. *Gen Comp Endocrinol.* 144:257-263.

Milnes, M.R.; Bermudez, D.S; Bryan, T.A.; Edwards, T.M.; Gunderson, M.P.; Larkin, I.L.V.; Moore, B.C.; Guillette, L.J. Jr. (2006). Contaminant-induced feminization and demasculinization of nonmammalian vertebrate males in aquatic environments. *Environ Res* 100:3-17.

Mittendorf, R. (1995). Teratogen update: carcinogenesis and teratogenesis associated with exposure to diethylstilbestrol (DES) *in utero*. *Teratology* 51:435-445.

Mizuhashi, S.; Ikegaya, Y.; Matsuki, N. (2000). Pharmacological property of tributyltin *in vivo* and *in vitro*. *Environ Toxicol Pharmacol* 8:205-212.

Montes, G.S., Junqueira, L.C.U. (1988). Collagen, vol. II. Histochemical localization of collagen and of proteoglycans in tissues. (Nimni, M.E.), CRC Press, New York, 42-72.

Mosconi, G.; Carnevali, O.; Carletta, R.; Nabissi, M.; Polzonetti-Magni, A.M.; (1998). Gilthead seabream (*Sparus aurata*) vitellogenin: purification, partial characterization, and validation of an enzyme-linked immunosorbent assay (ELISA). *Gen Comp Endocrinol* 110: 252-261.

Multigner, L.; Oliva, A. (2001). Environment as a risk factor for male infertility. *Scientific World Journal* 1:576-578.

Multigner, L.; Oliva, A. (2002). Secular variations in sperm quality: fact or science fiction?. *Cad Saude Publica* 18:403-412.

Munger, R.; Isacson, P.; Hu, S.; Burns, T., Hanson, J.; Lynch, C.F.; Cherryholmes, K.; Van Dorpe, P.; Hausler, W.J. Jr. (1997). Intrauterine growth retardation in Iowa communities with herbicide-contaminated drinking water supplies. *Environ Health Perspect* 105:308-314. Erratum in: *Environ Health Perspect* 105:570.

Munkittrick, K.R.; McCarty, L.S. (1995). An integrated approach to aquatic ecosystem health: top-down, bottom-up, or middle-out? *J. Aquatic Ecosystem Health* 4:77-90.

Muñoz-de-Toro, M.M.; Maffini, M.V.; Kass, L.; Luque, E.H. (1998). Proliferative activity and steroid hormone receptor status in male breast carcinoma. *J Steroid Biochem Mol Biol* 67:333-339.

Muñoz-de-Toro, M.; Markey, C.M.; Wadia, P.R.; Luque, E.H.; Rubin, B.S.; Sonnenschein, C.; Soto, A.M. (2005). Perinatal exposure to bisphenol-A alters peripubertal mammary gland development in mice. *Endocrinology* 146:4138-4147.

Muñoz-de-Toro M.; Beldomenico, H.R.; Garcia, S.R.; Stoker, C.; De Jesús, J.J.; Beldomenico, P.M.; Ramos, J.G.; Luque, E.H. (2006a). Organochlorine levels in adipose tissue of women from a littoral region of Argentina. *Environ Res.* 102:107-112.

Muñoz-de-Toro M., Durando, M.; Beldomenico, P.M.; Beldomenico, H.R.; Kass, L.; Garcia, S.R.; Luque, E.H. (2006b). Estrogenic microenvironment generated by organochlorine residues in adipose mammary tissue modulates biomarker expression in ERalpha-positive breast carcinomas. *Breast Cancer Res.* 8:R47.

Murphy, C.A.; Rose, K.A.; Thomas, P. (2005) Modeling vitellogenesis in female fish exposed to environmental stressors: predicting the effects of endocrine disturbance due to exposure to a PCB mixture and cadmium. *Reprod Toxicol* 19:395-409.

Nagel, S.C.; vom Saal, F.S.; Welshons, W.V. (1999). Developmental effects of estrogenic chemicals are predicted by an *in vitro* assay incorporating modification of cell uptake by serum. *J Steroid Biochem Mol Biol* 69:343-357.

Nakada, N.; Nyunoya, H.; Nakamura, M.; Hara, A.; Iguchi, T.; Takada, H. (2004) Identification of estrogenic compounds in wastewater effluent. *Environ Toxicol Chem* 23:2807-2815.

Naqvi, S. M.; Vaishnavi, C. (1993) Bioaccumulative potential and toxicity of endosulfan insecticide to non-target animals. *Comp Biochem Physiol C*. 105:347-361.

Nash; J.P.; Kime, D.E.; Van der Ven L.T.; Wester, P.W.; Brion, F.; Maack, G.; Stahlschmidt-Allner, P.; Tyler, C.R. (2004). Long-term exposure to environmental concentrations of the pharmaceutical ethynodiol causes reproductive failure in fish. *Environ Health Perspect*. 112:1725-1733.

Newbold, R.R.; Hanson, R.B.; Jefferson W.N.; Bullock, B.C.; Haseman, J.; McLachlan, J.A. (2000). Proliferative lesions and reproductive tract tumors in male descendants of mice exposed developmentally to diethylstilbestrol. *Carcinogenesis* 21:1355-1363.

Nikaido, Y.; Yoshizawa, K.; Danbara, N.; Tsujita-Kyutoku, M.; Yuri, T.; Uehara, N.; Tsubura, A. (2004). Effects of maternal xenoestrogen exposure on development of the reproductive tract and mammary gland in female CD-1 mouse offspring *Reprod. Toxicol.* 18:803-811.

N.R.A., National registration authority for agriculture and veterinary chemical (1998). Existing chemicals review program. Review of endosulfan 2:1-10.

O'Brien, M.L.; Park, K.; In, Y.; Park-Sarge, O.K. (1999). Characterization of estrogen receptor- β (ER β) messenger ribonucleic acid and protein expression in rat granulose cells. *Endocrinology* 140:4530-4541.

O'Donnell, L.; Robertson, K.M.; Jones, M.E.; Simpson, E.R. (2001). Estrogen and spermatogenesis. *Endocr. Rev.* 22:289-318.

Oehlmann, J.; Schulte-Oehlmann, U.; Tillmann, M.; Markert B. (2000). Effects of endocrine disruptors on prosobranch snails (Mollusca: Gastropoda) in the laboratory. Part I: bisphenol A and octylphenol as xeno-estrogens. *Ecotoxicology* 9:383-397.

- Olea, N.; Pulgar, R.; Perez, P.; Olea-Serrano, F.; Rivas, A.; Novillo-Fertrell, A.; Pedraza, V.; Soto, A.M.; Sonnenschein, C. (1996). Estrogenicity of resin-based composites and sealants used in dentistry. *Environ. Health Perspect.* 104:298-305.
- Opresko, L. K.; Wiley, H. S. (1987) Receptor-mediated endocytosis in *Xenopus* oocytes. I. Characterization of the vitellogenin receptor system. *J. Biol. Chem.* 262:4109-4115.
- Orlando, E.F.; Denslow, N.; Folmar, L.; Guillette, L.J., Jr. (1999). Comparison of the reproductive physiology of Largemouth bass, *Micropterus salmonides*, collected from the Escambia and Blackwater Rivers in Florida. *Environ. Health Perspect.* 107:199-204.
- Orlando, E.F.; Kolok, A.S.; Binzck, G.A.; Gates, J.L.; Horton, M.K.; Lambright, C.S.; Gray, L.E.; Soto, A.M.; Guillette, L.J., Jr. (2004). Endocrine-disrupting effects of cattle feedlot effluent on an aquatic sentinel species, the fathead minnow. *Environ. Health Perspect.* 112:353-358.
- Palmer, B.D.; Palmer, S.K. (1995). Vitellogenin induction by xenobiotic estrogens in the red-eared turtle and African clawed frog. *Environ Health Perspect* 103:19-25.
- Palmer, B.D.; Huth L.K.; Pieto, L.D.; Selcer, K.D. (1998). Vitellogenin as a biomarker for xenobiotics estrogens in an amphibian model system. *Environ Toxicol Xchem* 17:30-36.
- Palombi, F.; Farini, D.; Salanova, M.; de Grossi, S.; Stefanini, M. (1992). Development and cytodifferentiation of peritubular myoid cells in the rat testis. *Anat Rec.* 233:32-40.
- Pandey (1986). Response of corticosteroidogenic, catecholamine-secreting cells, corpuscles of Stannius, and Dahlgren cells of snake headed murrel *Ophiocephalus punctatus* (Bloch) to thiodan treatment. A karyometric investigation. *Ecotoxicol Environ Saf* 12: 101-104.
- Peebles, E.D.; Brake, J.; Gildersleeve. R.P. (1987). Effects of eggshell cuticle removal and incubation humidity on embryonic development and hatchability of broilers. *Poult Sci* 66:834-840.
- Petty, J.D.; Jones, S.B.; Huckins, J.N.; Cranor, W.L.; Parris, J.T.; McTague, T.B.; Boyle, T.P. (2000). An approach for assessment of water quality using semipermeable membrane devices (SPMDs) and bioindicator tests. *Chemosphere* 41:311-321.
- Pickford, D.B. (1995). Endocrine regulation of clitero-penis development in the juvenile American alligator (*Alligator mississippiensis*). M.S. University of Florida.
- Pieau, C.; Dorizzi, M.; Richard-Mercier, N. (1999). Temperature dependent sex determination and gonadal differentiation in reptiles. *Cell. Mol. Life Sci.* 55:887-900.

- Piña, C.; Imhof, A.; Sirosky, P. (1996). Egg size of *Caiman latirostris* and its relationship with clutch size, hatching success, survival and growth. Crocodiles: Proceedings of the 13 th Working Meeting of the Crocodile Specialist Group, IUCN - The World Conservation Union, Gland, Switzerland. 254-260.
- Prado, W. (2003). Estado de conservación y aspectos poblacionales de los yacarés overo *Caiman latirostris* (DAUDÍN, 1802) y negro *Caiman yacare* (DAUDÍN, 1802) en relación a su hábitat en el Chaco oriental. Tesina de licenciatura. Universidad CAECE.
- Rajapakse, N.; Silva E.; Kortenkamp, A. (2002). Combining xenoestrogens at levels below individual no-observed effect concentration dramatically enhances steroid hormone action. Environ. Health Perspect. 110:917-921.
- Ramos, J.G.; Varayoud, J.; Sonnenschein, C.; Soto, A.M.; Muñoz De Toro, M.; Luque, E.H. (2001). Prenatal exposure to low doses of bisphenol A alters the periductal stroma and glandular cell function in the rat ventral prostate. Biol. Reprod. 65:1271-1277.
- Ramos, J.G.; Varayoud, J.; Kass, L.; Rodriguez, H.; Costabel, L.; Muñoz De Toro, M.; Luque, E.H. (2003). Bisphenol A induces both transient and permanent histofunctional alterations of the hypothalamic-pituitary-gonadal axis in prenatally exposed male rats. Endocrinology 144:3206-3215.
- Raynaud, A.; Pieau, C. (1985). Biology of the Reptilia, Vol. 15: Development B. Embryonic development of the genital system. (C. Gans; F. Billett) Wiley, New York. 149-300.
- Rey, F.; Stoker, C.; Luque, E.H.; Muñoz-de-Toro, M. (2005). La exposición prenatal a bisfenol A altera el desarrollo folicular y la esteroidogénesis de *Caiman latirostris* (yacaré overo). Medicina (Buenos Aires) 176:89.
- Rie, M.T.; Kitana, N.; Lendas, K.A.; Won, S.J.; Callard, I.P. (2005). Reproductive endocrine disruption in a sentinel species (*Chrysemys picta*) on Cape Cod, Massachusetts. Arch. Environ. Contam. Toxicol. 48:217-224.
- Rippen, G. (1999). Handbuch Umweltchemikalien. Stoffdaten, Prüfverfahren, Vorschriften, 3rd ed. 49th supplement issue. Landsberg, Ecomed.
- Rooney, A.A.; Crain, D.A.; Woodward, A.R.; Guillette, L.J. Jr. (2004). Seasonal variation in plasma sex steroid concentrations in juvenile American alligators. Gen Comp Endocrinol. 135:25-34.
- Rubin, B.L.; Dorfman, A.S.; Black, L.; Dorfman, R.I. (1951). Bioassay of estrogens using the mouse uterine response. Endocrinology 49: 429-439.
- Safe, S. (2000). Endocrine disruptors and human health-is there a problem? An update. Environ. Health Perspect. 108:487-493.

- Safe, S. (2002). Environmental estrogens: roles in male reproductive tract problems and in breast cancer. *Rev. Environ. Health* 17:253-262.
- Saiyed, H.; Dewan, A.; Bhatnagar, V.; Shenoy, U.; Shenoy, R.; Rajmohan, H.; Patel, K.; Kashyap, R.; Kulkarni, P.; Rajan, B.; Lakkad, B. (2003). Effect of endosulfan on male reproductive development. *Environ Health Perspect* 111:1958-1962.
- Santos, S.A.; Nogueira, M.S.; Pinheiro, M.S. (1996). Diets of *Caiman crocodilus yacare* from different habitats in the Brazilian Pantanal. *Herpetological J.* 6:111-117.
- Selcer, K.W.; Palmer, B.D. (1995). Estrogen downregulation of albumin and a 170-kDa serum protein in the turtle, *Trachemys scripta*. *Gen. Comp. Endocrinol.* 97, 340–352.
- Selcer KW, Nagaraja S, Foret P, Wagner D, Williams L, Palmer BD (2001) Vitellogenin as a biomarker for estrogenic chemicals: Development of antibodies and primers with broad species applications. En: PCBs: Recent advances in the environmental toxicology and health effects. (Robertson RL, Hansen LG). Lexington, the University Press of Kentucky, 285-292.
- Selcer, K.W.; Nespoli, L.M.; Rainwater, T.R.; Finger, A.G.; Ray, D.A.; Platt, S.G.; Smith, P.N.; Densmore, L.D.; McMurry, S.T. (2006). Development of an enzyme-linked immunosorbent assay for vitellogenin of Morelet's crocodile (*Crocodylus moreletii*). *Comp Biochem Physiol C Toxicol Pharmacol.* 143:50-58.
- Sharpe, R.M.; Skakkebæk, N.E. (1993). Are estrogens involved in falling sperm counts and disorders on the male reproductive tract?. *Lancet* 341:1392-1395.
- Sharpe, R.M.; Fisher, J.S.; Millar, M.M.; Jobling, S.; Sumpter, J.P. (1995). Gestational and Lactational Exposure of Rats to Xenoestrogens Results in Reduced Testicular Size and Sperm Production. *Environ. Health Perspect.* 103:1136-1143.
- Sharpe, R.M. (2006). Pathways of endocrine disruption during male sexual differentiation and masculinization. *Best Pract Res Clin Endocrinol Metab* 20:91-110.
- Shelby, M.D.; Newbold, R.R.; Tully, D.B.; Chae, K.; Davis, V.L. (1996). Assessing environmental chemicals for estrogenicity using a combination of in vitro and in vivo assays. *Environ. Health Perspect.* 104:1296-1300.
- Shelby, J.A.; Mendonca, M.T. (2001). Comparison of reproductive parameters in male yellow-blotted map turtles (*Graptemys flavimaculata*) from a historically contaminated site and a reference site. *Comp. Biochem. Physiol. C* 129:233–242.
- Silbergeld, E.K.; Flaws, J.A.; Brown, K.M. (2002). Organizational and activational effects of estrogenic endocrine disrupting chemicals. *Cad. Saúde Pública, Rio de Janeiro*, 18:495-504.

- Simpson, R. J. (2003). Proteins and Proteomics: A Laboratory Manual. Cold Spring Harbor Laboratory Press. Cold Spring Harbor, New York, USA.
- Singer, P. L. (1949). Occupational Oligospermia. *JAMA* 140:1249.
- Singh, S.K.; Pandey, R.S. (1990). Effect of sub-chronic endosulfan exposures on plasma gonadotrophins, testosterone, testicular testosterone and enzymes of androgen biosynthesis in rat. *Indian J Exp Biol* 28: 953-956.
- Skinner, M.K.; Tung, P.S.; Fritz, I.B. (1985). Cooperativity between Sertoli cells and testicular peritubular cells in the production and deposition of extracellular matrix components. *J Cell Biol.* 100:1941-1947.
- Smith, A. G. (1991). Chlorinated hydrocarbon insecticides. En: *Handbook of Pesticide Toxicology*. Hayes, W. J., Jr. y Laws, E. R., Jr., Eds. Academic Press Inc., New York, USA.
- Sone, K.; Hinago, M.; Itamoto, M.; Katsu, Y.; Watanabe, H.; Urushitani, H.; Too, O.; Guillette, L.J. Jr.; Iguchi, T. (2005). Effects of an androgenic growth promoter 17beta-trenbolone on masculinization of Mosquitofish (*Gambusia affinis affinis*). *Gen Comp Endocrinol.* 143:151-160.
- Sone, K.; Hinago, M.; Kitayama, A.; Morokuma, J.; Ueno, N.; Watanabe, H.; Iguchi, T. (2004). Effects of 17beta-estradiol, nonylphenol, and bisphenol-A on developing *Xenopus laevis* embryos. *Gen Comp. Endocrinol.* 138:228-236.
- Sonnenschein, C.; Soto, A. M. (1998). An updated review of environmental estrogen and androgen mimics and antagonists. *J. Steroid Biochem. Molec. Biol.* 65:143-150.
- Soto, A. M.; Justicia, H.; Wray, J. W.; Sonnenschein, C. (1991). *p*-nonyl-phenol: an estrogenic xenobiotic released from "modified" polystyrene. *Environ. Health Perspect.* 92:167-173.
- Soto, A. M.; Chung, K.L.; Sonnenschein, C. (1994). The pesticides endosulfan, toxaphene, and dieldrin have estrogenic effects on human estrogen sensitive cells. *Environ. Health Perspect.* 102:380–383
- Soto A. M.; Sonnenschein, C.; Chung, K. L.; Fernandez, M. F.; Olea, N.; Serrano, F. O. (1995). The E-screen assay as a tool to identify estrogens—an update on estrogenic environmental pollutants. *Environ. Health Perspect.* 103:647-654.
- Soto, A. M.; Fernandez, M.F.; Luizzi, A.S.; Oles Karasko A.S.; Sonnenschein, C. (1997). Developing a marker of exposure to xenoestrogen mixtures in human serum. *Environ. Health Perspect.* 105:647-654.
- Spanò, L.; Tyler, C. R.; van Aerle, R.; Devos, P.; Mandiki, S. N.; Silvestre, F.; Thome, J. P.; Kestemont, P. (2004). Effects of atrazine on sex steroid

dynamics, plasma vitellogenin concentration and gonad development in adult goldfish (*Carassius auratus*). *Aquat Toxicol.* 66:369-379.

Stahl, R.G. (1997). Can mammalian and non-mammalian “sentinel species” data be used to evaluate the human health implications of environmental contaminants. *Hum Ecol Risk Assess* 3:329-335

Stevens, J.T.; Sumner, D.D. (1991). Herbicides. En: *Handbook of pesticide toxicology* (Hayes, W.J.). Academic Press Inc., New York, 1317-1391.

Stevens, J. T.; Wetzel, L. T.; Breckenridge, C. B.; Gillis, J. H.; Luempert, L. G., III; Eldridge, J. C. (1994). Hypothesis for mammary tumorigenesis in female Sprague-Dawley rats exposed to chloro-S-triazine herbicides. *J. Toxicol. Environ. Health* 43, 139-154.

Stoker, C.; Bussmann, L.; Siroski, P.; Larriera, A.; Muñoz de Toro, M.; Luque, E. (2002). Experimental evaluation of *Caiman latirostris* as a sentinel of environmental contamination with xenoestrogens. *Biocell* 26:126.

Stoker, C.; Rey, F.; Rodriguez, H.; Ramos, J.G.; Sirosky, P.; Larriera, A.; Luque, E.H.; Muñoz-de-Toro, M. (2003) Sex reversal effects on *Caiman latirostris* exposed to environmentally relevant doses of the xenoestrogen bisphenol A. *Gen. Comp. Endocrinol.* 133:287-296.

Stoker, C. (2004). *Caiman latirostris* como monitor biológico de contaminación ambiental por xenoestrógenos. Tesis doctoral. Universidad Nacional del Litoral.

Stoker C.; Beldoménico, P.M.; Rodríguez, H.A.; Rey, F.; Muñoz-de-Toro M.; Luque, E.H. Ovarian features in xenoestrogen-determined females of *Caiman latirostris*. e.hormone 2004. New Orleans, Louisiana, U.S.A, Octubre de 2004.

Sumpter, J.P.; Jobling, S. (1995). Vitellogenesis as a biomarker for estrogenic contamination of the aquatic environment. *Environ. Health Perspect.* 103:173-178.

Suzuki, A.; Sugihara, A.; Uchida, K., Sato, T.; Ohta, Y.; Katsu, Y.; Watanabe, H.; Iguchi, T. (2002). Developmental effects of perinatal exposure to bisphenol-A and diethylstilbestrol on reproductive organs in female mice. *Reprod. Toxicol.* 16:107-116.

Tada, N.; Sada, M.; Ueda, Y.; Hoshi, H.; Uemura, T.; Kamata, Y. (2004). Comparative analyses of serum vitellogenesis in male and female Reeves' pond turtles (*Chinemys reevesii*) by an immunological assay. *J. Comp. Physiol. B* 174:13-20.

Takahashi, O.; Oishi, S. (2000). Disposition of orally administered 2,2-Bis(4-hydroxyphenyl)propane (Bisphenol A) in pregnant rats and the placental transfer to fetuses. *Environ Health Perspect.* 108:931-935.

Tata, J.R.; Smith, D.F. (1979). Vitellogenesis: a versatile model for hormonal regulation of gene expression. *Recent Prog. Horm. Res.* 35:47-95.

Tavera-Mendoza, L.; Ruby, S.; Brousseau, P.; Fournier, M.; Cyr, D.; Marcogliese, D. (2002). Response of the amphibian tadpole (*Xenopus laevis*) to atrazine during sexual differentiation of the testis. *Environ Toxicol Chem* 21:527-531.

Tennant, M. K.; Hill, D. S.; Eldridge, J. C.; Breckenridge, C. B.; Stevens, J. T. (1994). Chloro-S-triazine antagonism of estrogen action: limited interaction with estrogen receptor binding. *J. Toxicol. Environ. Health* 43, 197-211.

Timms, B.G.; Howdeshell, K.L.; Barton, L.; Bradley, S.; Richter, C.A.; vom Saal, F.S. (2005). Estrogenic chemicals in plastic and oral contraceptives disrupt development of the fetal mouse prostate and urethra. *Proc Natl Acad Sci U S A.* 102:7014-7019.

Toft, G.; Edwards, T.M.; Baatrup, E.; Guillette, L.J. (2003). Disturbed sexual characteristics in male mosquitofish (*Gambusia holbrooki*) from a lake contaminated with endocrine disruptors. *Environ. Health Perspect.* 111:695-701.

Trentacoste, S. V.; Friedmann, A. S.; Youker, R. T.; Breckenridge, C. B.; Zirkin, B. R. (2001). Atrazine effects on testosterone levels and androgen-dependent reproductive organs in peripubertal male rats. *J Androl.* 22:142-148.

Tyler, C.R.; Jobling, S.; Sumpter, J.P. (1998). Endocrine disruption in wildlife: a critical review of the evidence. *Crit. Rev. Toxicol.* 28:319-326.

Tyler, C.R.; van Aerle, R.; Hutchinson, T.H.; Maddix, S.; Trip, H. (1999). An in vivo testing system for endocrine disruptors in fish early life stages using induction of vitellogenin. *Environ. Toxicol. Chem.* 18, 337–347.

U. S. Agency for Toxic Substances and Disease Registry (1990). Toxicological profile for endosulfan. Atlanta. 6-52.

U.S. Department of Interior (U.S. Geological Survey) 1991. Spring Sampling Finds Herbicides Throughout Mississippi River and Tributaries. Reston, VA.8-25.

U.S. EPA. (1997). Office of Prevention, Pesticides and Toxic Substances. Endocrine Disruptor Glossary. Definition of Endocrine Disruptor, as defined by EDSTAC. U.S. Environmental Protection Agency. Disponible: <http://www.epa.gov/oscpmont/sap/meetings/1998/may/edstac/ch3.pdf> (acceso 13-06-06)

U.S. EPA (2002). Registration Eligibility Decision for Endosulfan 1-224.

Vaitukaitis, J.; Robbins, J.; Nieschlag, E.; Ross, G.T. (1971). A method for producing specific antisera with small doses of immunogen. *J Clin Endocrinol Metab* 33:988-991.

Van den Belt, K.; Verheyen, R.; Witters, H. (2003). Comparison of vitellogenin responses in zebrafish and rainbow trout following exposure to environmental estrogens. *Ecotoxicol. Environ. Saf.* 56:271–281.

Van der Kraak, G.J.; Munkittrick, K.R.; McMaster, M.E.; Portt, C.B.; Chang, J.P. (1992). Exposure to bleached kraft pulp mill effluent disrupts the pituitary-gonadal axis of white sucker at multiple sites. *Toxicol. Appl. Pharmacol.* 115:224-233.

Van der Kraak, G.J. (1998). Observations of endocrine effects in wildlife with evidence of their causation. *Pure Appl Chem.* 70: 1785-1794.

van der Schalie, W. H., Gardner, H. S., Jr., Bantle, J. A., De Rosa, C. T., Finch, R. A., Reif, J. S., Reuter, R. H., Backer, L. C., Burger, J., Folmar, L. C., Stokes, W. S. (1999). Animals as sentinels of human health hazards of environmental chemicals. *Environ. Health Perspect.* 107:309-315.

Verdade, L.M. (1995). La conservación y el manejo de los caimanes y cocodrilos en América Latina, Vol. 1. Biología reproductiva do jacaré-de-papo-amarelo (*Caiman latirostris*) em São Paulo, Brasil. (Larriera, A.; Verdade, L.). Santa Fe, Argentina. 57-79.

Verdade, L. M. (2001). Allometry of reproduction in broad-snouted caiman (*Caiman latirostris*). *Braz. J. Biol.* 61:431-435.

Villanueva, C.M.; Durand, G.; Coutte, M.B.; Chevrier, C.; Cordier, S. (2005). Atrazine in municipal drinking water and risk of low birth weight, preterm delivery, and small-for-gestational-age status. *Occup. Environ. Med.* 62: 400-405.

Virtanen, I.; Kallajoki, M.; Narvanen. O.; Paranko, J.; Thornell, L.E.; Miettinen, M.; Lehto, V.P. (1986). Peritubular myoid cells of human and rat testis are smooth muscle cells that contain desmin-type intermediate filaments. *Anat Rec.* 215:10-20.

Volkel, W.; Colnot, T.; Csanady, G.A.; Filser, J.G.; Dekant, W. (2002). Metabolism and kinetics of bisphenol A in humans at low doses following oral administration. *Chem. Res Toxicol.* 15:1281-1287.

vom Saal, F.S.; Cooke, P.S.; Buchanan, D.L.; Palanza, P.; Thayer, K.A.; Nagel, S.C.; Parmigiani, S.; Welshons, W.V. (1998). A physiologically based approach to the study of bisphenol A and other estrogenic chemicals on the size of reproductive organs, daily sperm production, and behavior. *Toxicol. Ind. Health* 14:239-260.

vom Saal, F.; Hughes C. (2005). An extensive new literature concerning low-dose effects of bisphenol A shows the need for new risk assessment. *Environ. Health Perspect* 113:926-933.

- Vonier, P.M.; Crain,D.A.; McLachlan, J.A.; Guillette, L.J. Jr.; Arnold, S.F. (1996). Interaction of environmental chemicals with the estrogen and progesterone receptors from the oviduct of the American alligator. *Environ Health Perspect* 104:1318-1322.
- Vos, J.G.; Dybing, E.; Greim, H.A.; Ladefoged, O.; Lambre, C.; Tarazona, J.V.; Brandt, I.; Vethaak, A.D. (2000). Health effects of endocrine-disrupting chemicals on wildlife, with special reference to the European situation. *Crit. Rev. Toxicol.* 30:71-133.
- Wahli, W.; Dawid, I.B.; Wyler, T.; Jaggi, R.B.; Ryffel, G.U. (1979). Vitellogenin in *Xenopus laevis* is encoded in a small family of genes. *Cell* 16, 535–549.
- Wallace, R.A. (1985). En: *Developmental Biology: Oogenesis* (Browder, L.) Vol. 1, Plenum Press, New York, USA:127-177.
- Waller, T.; Micucci, P. (1994). Memorias del IV Worshop sobre conservación y manejo del yacaré overo (*Caiman latirostris*). Situación del grupo *Caiman* en Argentina. Apuntes sobre su distribución, situación poblacional y comercio histórico. (Larriera, A.; Imhoff, A.; Von Fink, M.C.; Costa, A.L.; Tourn, C.C.). Fundación Banco Bica. Santa Fe, Argentina. 40-49.
- Walsh, L.P.; McCormick, C.; Martin, C.; Stocco, D.M. (2000) Roundup inhibits steroidogenesis by disrupting steroidogenic acute regulatory (StAR) protein expression. *Environ Health Perspect* 108:769-776.
- Wang, S.Y.; Williams, D.L. (1983). Purification of avian vitellogenin III. Comparison with VTG I and II. *Biochemist* 22: 6206–6210.
- Webb, G. J. W.; Buckworth, R.; Manolis, S. C. (1983). *Crocodylus johnstoni* in the McKinlay River, N.T. VI. Nesting Biology. *Aust.Wildl.Res.* 10:607-637.
- Wiley, H.S.; Opresko, L.; Wallace, R.A. (1979). New methods for the purification of vertebrate vitellogenin. *Anal Biochem* 97:145-152.
- Wilhelms, K. W.; Cutler,S. A.; Proudman, J. A.; Anderson, L. L.; Scanes, C. G. (2005). Atrazine and the hypothalamo-pituitary-gonadal axis in sexually maturing precocial birds: studies in male Japanese quail. *Toxicol Sci* 86:152–160.
- Wilhelms, K. W.; Fitzpatrick, K. F.; Scanes, C. G.; Anderson, L. L. (2006). *In ovo* exposure to a triazine herbicide: effects of atrazine on circulating reproductive hormones and gonadal histology in young Japanese quail. *Arch Environ Contam Toxicol*. 51:117-122.
- Willey, J.B.; Krone, P.H. (2001). Effects of endosulfan and nonylphenol on the primordial germ cell population in pre-larval zebrafish embryos. *Aquat Toxicol* 54: 113-123.

Willingham, E.; Crews, D. (1999). Sex reversal effects of environmentally relevant xenobiotic concentrations on the red-eared slider turtle, a species with temperature-dependent sex determination. *Gen. Comp. Endocrinol.* 113:429-435.

Wu, T.A.; Rainwater, T.R.; Platt, S.G.; McMurry, S.T.; Anderson, T.A. (2000). Organochlorine contaminants in Morelet's crocodile (*Crocodylus moreletii*) eggs from Belize. *Chemosphere* 40:671-678.

Yanosky, A.A. (1990). Histoire naturelle du Caïman à museau large (*Caiman latirostris*), un Alligatoriné mal connu. *Rev. Fr. Aquariol. Herpetol.* 17:19-31.

Yanosky, A.A.; Mercolli, C. (1995). La conservación y el manejo de los caimanes y cocodrilos en América Latina, Vol. 1. *Caiman latirostris y Caiman yacare en la Reserva Ecológica El Bagual (Formosa, Argentina)*. (Larriera, A.; Verdade, L.). Santa Fe, Argentina. 113-122.

Páginas de internet

- <http://www.damisela.com/zoo/rep/cocodrilos/overo/index.htm>
- <http://e.hormone.tulane.edu/estrogens-mimics.html>
- <http://www.epa.gov>
- <http://www.mupcn.com.ar/yacare>
- <http://www.nap.edu/books/0309040469/html/19.html>
- <http://www.yacare.net>